EAA Andrology Training Center Centre Report

2016



Sexual Medicine & Andrology Centre, Università degli Studi di Firenze, Dipartimento di Fisiopatologia Clinica, Viale G. Pieraccini 6 I-50139 Firenze, Italy

Tel: +39 055 4271 415 Fax: +39 055 4271 413

Director of the Centre: Prof. Mario Maggi (co-director Prof. Csilla Krausz)

CENTRE REPORT

History of Centre

The official history of the Andrology Center in Florence started in 1983 when Mario Serio, previously appointed as a Full Professor of Andrology at the University of Sassari in Sardinia, came back to Florence. Mario Serio opened an Outpatient Clinic at the Careggi University Hospital of Florence and focused his attention on male infertility. In order to introduce semen analysis in the clinic, he asked Claudio Orlando, a young biologist, to perform a two months stage in Belgium in the laboratory of Frank Comhaire in order to learn the principles of semen analysis.

When Claudio Orlando came back, the semen laboratory was started and other people joined the group between 1985 and 1990: Rosaria Casano, Anna Lucia Caldini, Elisabetta Baldi, and Csilla Krausz. The relevance and reputation of the Florentine Andrology was internationally recognized and the International Society of Andrology selected Florence as the venue of the IVth International Congress of Andrology which was held on May 14-19, 1989. In 1987, Mario Serio, after having obtained from the University a new laboratory in a new building, became the Chair of Endocrinology and in 1990 Gianni Forti was appointed as full Professor of Andrology at the University of Florence. Mario Serio was one of the founders of the European Academy of Andrology (EAA) on May 7th 1992 in Castle Elmau (Germany). EAA certified Florence as an Andrology Training Center in 1994 and Academicians from Florence directed the Academy from 1998-2006 (Gianni Forti) and at the present time (Csilla Krausz). In 1993, Gianni Forti became the Director of the Andrology Unit (Careggi University Hospital) with a clinical staff of three endocrinologists: Francesca Bassi, Angela Magini and Mario Maggi. Mario spent two years at the NIH, Bethesda in 1995-7. At the NIH, under the supervision of David Rodbard, he was involved in studies on gynecologic and andrologic actions of neurohypophyseal hormones. This research activity was continued, later on, in Florence and oxytocin receptor in epididymis became the topic of the experimental thesis of Linda Vignozzi in 2001. From the early nineties and up to now, thanks to the expertise and work of Elisabetta Baldi, Michaela Luconi, Csilla Krausz, Lara Tamburrino e Sara Marchiani, the rapid effects of progesterone on intracellular calcium accumulation, acrosome reaction and CatSper responsiveness in human spermatozoa have been elucidated. Another area of research of our Andrology laboratory is the study of sperm DNA fragmentation which was performed, since the end of nineteens, through cytofluorimetry by Monica Muratori. From 2008 an outpatient service of sperm DNA fragmentation test for infertile patients is provided upon request from of clinicians. In 1996, Csilla Krausz went to Paris, in the Lab of M. Fellous/K. McElreavey, to work on her PhD project dealing with the role of Y chromosome microdeletions in male infertility. After her return to Florence, she continued to work on genetics of male infertility/testicular tumor/criptorchidism togheter with her research team (members C. Chianese, C. Giachini, F. Nuti, S. Vinci, E. Casamonti). Starting from 2003, Florence became also the venue of three editions of the Florence-Utah International Symposium on "Genetics of Male Infertility: from Research to Cinic". Since 2004, the Krausz laboratory is the reference laboratory for the European Molecular Genetics Quality Network (EAA/EMQN Y chromosome scheme) and provides the characterization of cell lines for Y chromosome microdeletions and annual validation of selected samples for the external quality control.

In 1996, thanks to the collaboration with the cardiovascular pharmacologist Fabrizio Ledda, Mario Maggi and Sandra Filippi opened the field of experimental studies on male

impotence using cellular and animal models. This collaboration was formalized in 2004 with the establishment of the Interdepartmental Laboratory of Functional and Cellular Pharmacology of Reproduction, still active under the direction of Mario Maggi. By the time, several biologists joined the group for basic studies on male sexuality, including S. Granchi, R. Mancina, A. Morelli, E. Maneschi, I. Cellai and, lastly, F. Corcetto and C. Corno. The group is now coordinated by Paolo Comeglio. From the clinical side, an outstanding contribution was done by Giovanni Corona and Luisa Petrone that, since the end of nineteens, validated the first structured interview for erectile dysfunction, SIEDY, thanks to the collaboration with the diabetologist Edoardo Mannucci. The same group, few years later, delivered another structured interview, ANDROTEST, for the study of male hypogonadism. Male hypogonadism become, therefore, an active topic of interest, thanks also to the participation of the Florence Center (under the supervision of Gianni Forti) to the European Male Aging Study, coordinated by Fred Wu, from Manchester UK, in 2003. The collaboration is still ongoing and Giulia Rastrelli is now actively participating to the longitudinal evaluation of the database, with continuous interactions with Manchester and two fellowship stages in 2013 and 2016. Another area of clinical research is now leaded by Alessandra Fisher and deals with Gender Dysphoria (GD). An outpatient clinic for adult GD was opened in 2005 thanks to the collaboration with a team of psychiatrists (Elisa Bandini e Giovanni Castellini) led by Valdo Ricca from the University of Florence. Recently the activity in GD has been extended to adolescent GD, under the supervision of Jiska Ristori, a psychologist trained at the Gender Centre of the VU University Medical Center of Amsterdam (The Netherlands). Paraphilic disorders and other psychiatric conditions related to andrological patients are consulted by Valdo Ricca first and now by Giovanni Castellini, within the Andrology Clinic. Beside mental health professionals, active clinical and scientific collaborations with gynecologists and urologists are operating since Mario Serio establishing of an Andrologic Clinic. In particular, urologists, including Michelangelo Rizzo, Marco Carini, Mauro Gacci and Alessandro Natali, were involved in surgical retrieval of sperm, varicocele repair, treating prostate carcinoma and testicular tumors. Surgical assistance for gender reassignment was also performed by the urologists Augusto Delle Rose e Nicita Stomaci. Since 1996 up to now, there is a formal clinical collaboration with gynecologists for treating couple infertility and a gynecological and andrological simultaneous (joined) clinical interview and visit is offered to couples seeking assisted reproduction technology. The Center was originally leaded by Prof. Ivo Noci and now by Prof. Elisabetta Coccia.

In 1998, a sperm bank was established under the supervision first of Erminio Filimberti and now of Elisabetta Baldi. The bank was recognized as Regional Reference Centre for Semen Cryopreservation in 2002. In addition, the same biologists coordinated, suince 2010, a biannual external quality control (EOC) programme for all semen laboratories in Tuscany Region (Italy). Selene Degl'Innocenti first and, later on, Maria Grazia Fino gave an invaluable technical support to all the semen analyses and cryopreservation activities. A dedicated outpatient session with an annual follow up for oncological patients seeking sperm cryopreservation has been organized by Csilla Krausz and Angela Magini since 2013. According to a Court modification of the Italian law for assisted reproduction, since April 2014 it is possible to offer heterologous insemination for otherwise untreatable male infertility. Hence, since that time, our Unit, under the umbrella of the local hospital, is selecting semen donors, with the medical supervision of Matteo Rossi. From 2009, Francesco Lotti is supervising a Day Service for male infertility offering hormone determination, sperm analysis and scrotal and transrectal ultrasound in the same morning. The Day Service activity was recognized by the Careggi Hospital in 2012. A similar Day Service was created in 2015 for erectile dysfunction and another one on premature ejaculation will be available in 2017. A psychological support to couples with sexual dysfunction was offered since 2013 by a psychologist (Helen Casale) and an endocrinologist (Valentina Boddi). Based on a collaboration with paediatrician, quite recently (2016) an outpatient clinic for endocrinology of the transition from paediatric to adult age was opened under the supervision of Linda Vignozzi and Chiara Maggioli. Finally, since 2008 is active an outpatient clinic for female sexual dysfunction under the supervision of Linda Vignozzi, with the collaboration of endocrinologists (Elisa Maseroli, Sara Cipriani), gynecologists (Irene Scavello, Francesca Pampaloni) and psychologists (Egidia Fanni). Considering the broad spectrum of clinical activities, the Unit extended its name in Sexual Medicine and Andrology, under the direction of Mario Maggi, when Mario Serio retired in 2005 and Gianni Forti become the Head of the Endocrinology Unit. Sexual Medicine and Andrology Unit is still directed by Mario Maggi.

Organization of Centre

Dr. Chiara Maggioli

Dr. Giovanni Castellini

Organization charts legend: Department / Unit Structure

Unit name

Sexual Medicine & Andrology Centre, Università degli Studi di Firenze, Dipartimento di Fisiopatologia Clinica,

Director: Prof. Mario Maggi – Co-Director: Prof. Csilla Krausz

Staff members

Prof. Linda Vignozzi	Dr. Jiska Ristori	Dr. Chiara Corno
Prof. Elisabetta Baldi	Dr. Helen Casale	Dr. Francesca Corcetto
Dr. Angela Magini	Dr. Valentina Boddi	Selene Degl'Innocenti
Dr. Francesco Lotti	Dr. Sandra Filippi	Maria Grazia Fino
Dr. Alessandra D. Fisher	Dr. Paolo Comeglio	Secretary: Dr. Raffaella Gori
Dr. Giulia Rastrelli	Dr. Ilaria Cellai	
Dr. Elisa Maseroli	Dr. Monica Muratori	
Dr. Sarah Cipriani	Dr. Sara Marchiani	
Dr. Matteo Rossi	Dr. Lara Tamburrino	

Dr. Serena Vinci

Dr. Elena Casamonti

Clinical Services

Outpatient Clinics for sexual medicine, couple infertility, psychopathology of sexual dysfunction, psychological counselling and behavioural therapy, gender dysphoria, female sexual dysfunctions

Ultrasound penile arteries, scrotal and internal male genital tract, selection os sperm donors ${\rm FNA/TESE}$

Contribution to EAA training program

Diagnosis of infertility
Ultrasound of male genital tract
Doppler ultrasound of penile arteries
Counselling of infertile couple
Cryopreservation of sperm
Semen analysis
Sexual Medicine
Genetics of male infertility
Ethics in Andrology

Educational activities

The Unit is part of a PhD program, training PhD students with an academic background in biotechnology, biology or medicine.

The Unit is involved in the Residency Program of the School of Endocrinology for post-graduated in Medicine.

Since the last site visit, occurred in May 2010, the centre trained 3 fellows (Dr. F Lotti, Dr. V. Boddi and Dr. G. Rastrelli) who successfully completed the EAA Clincial Anrdologit examination (respectively in 2010, 2013 and 2014) obtaining the qualification of Clinical Andrologist.

Since the year 2000, the Center regularly organizes a post-graduate Master Course on Sexual Medicine and Andrology, training specialists in endocrinology, urology, gynaecology, internal medicine and general practitioners, under the direction of Gianni Forti and subsequently Mario Maggi. The educational program of the post-graduate course lasts 2 years including a 10 weeks theoretical part and a 4 weeks of tutored training in the outpatient clinic. Moreover, three post-graduate courses in Male Infertility have been organized since 2011.

The centre togheter with the Rome EAA center, organizes the EAA Ultrasound School on Male urogenital tract since 2015. Fellows are endocrinologists and urologists from different countries and the school is based on a theoretical course and a 4 weeks handon training. The final examination allows the fellow to obtain the "EAA ultrasound School" certification.

The centre is also training psycologists as psychotherapists interested in sexual medicine and gender identity disorders. Moreover, the Center regularly trains Bachelor and Master students in Biotechnology, and Laboratory technical assistance and students in Medicine for their thesis.

In the frame of the Marie Curie Network of the European Commission, entitled "Reproductive Early Research Training" (2011-2015) two ESR fellows were trained at the Molecular Genetic lab of our Centre under the supervision of C. Krausz.

Research activities

Clinical research on erectile dysfunction and hypogonadism

Since the last site visit, the clinical research in the centre further developed its expertise in male sexual dysfunctions and hypogonadism. This research area took advantage of two structured interviews published and validated by the group, SIEDY and ANDROTEST, respectively for the assessment of pathogenic components of erectile dysfunction (ED) and symptoms associated with low testosterone levels. A particular topic that has been developed is the assessment of cardiovascular (CV) risk in patients consulting for sexual dysfunction. For this specific research area, a dataset including longitudinal observations of incident major adverse CV events (MACE) during a mean follow-up of 4.3 years has been produced. Information on MACE has been obtained by the collaboration with the City of Florence Registry Office. Based on all these research instruments, several markers of increased CV risk, in men consulting for sexual dysfunction, has been identified (including impaired erection during masturbation, fatherhood, extramarital affairs, low education degree, perception of low sexual interest in the partner, impaired penile colour Doppler ultrasound parameters,

impaired response to intracavernous injection of prostaglandin E1, low testosterone, low prolactin). Overall, this research area provided useful information for early identification of men at higher CV risk and prevention of MACE in subjects with ED.

A topic of great interest in the last years in the centre was represented by the CV risk associated with low endogenous testosterone levels and with testosterone replacement therapy. In the centre, these topics have been extensively studied taking advantage of a meta-analytic approach.

The meta-analytic method have been also used for improving knowledge in the field of sexual dysfunction physiology and therapy.

Clinical research on male genital tract ultrasound

A research area that greatly developed since the last site visit deals with the study of clinical correlates of male fertility. In particular, the centre improved its expertise in male genital tract ultrasound, by acquiring standard methodology for studying male genital tract in both fertile and infertile men. Taking advantage of this novel methodology, the group has become the leader of a European multicentre study for the assessment of normal ultrasound parameters of male genital tract (EAA research project). Besides the study of male genital tract in fertile and infertile men, the centre dealt with the study of clinical characteristics of men from infertile couples, such as inflammatory markers, metabolic syndrome and sexual dysfunctions.

Clinical research of female sexual dysfunctions

An emerging research area is the study of women female sexual dysfunction. In particular, at present, the centre dealt with the development of a shorter version of the FSFI questionnaire administered in both women consulting for sexual complaints and women not suffering for sexual dysfunction. Furthermore, the sexuality in women whose partner has a sexual dysfunction has been studied. Finally, the cardiometabolic derangements in women with sexual dysfunctions and their clitoral ultrasound parameters have been studied.

Gender dysphoria in adulthood and adolescence

Next to the clinical activities, teaching and research are performed; the latter in collaboration with other gender teams at a national and international level. Our adult gender team is part of an international research project (European Network for the Investigation of Gender Incongruence, ENIGI) in collaboration with the Department of Endocrinology, VU University Medical Center, Amsterdam (The Netherlands), the Department of Endocrinology, University of Ghent (Belgium) and the Department of Endocrinology, Oslo University Hospital, Oslo (Norway). The ENIGI project is aimed to evaluate the effects of cross-sex hormonal supplementation and metabolic parameters, bone density, secondary sex, anthropometric characteristics, as well as physical and psychological well-being of GD persons (Dekker et al, 2016; Wierckx et al, 2014). In addition, the adult Gender team is part of the Italian Network on gender dysphoria (together with the Gender Identity Development Service Hospital S. Camillo-Forlanini, Rome; the Center for Reproductive Health, Department of Obstetrics and Gynecology, S. Orsola Hospital, University of Bologna, Bologna, the C.I.D.I.GeM, City of Health and Science—Le Molinette Hospital, Turin; Endocrinology and Medical Sexology, Experimental Medicine, University of L'Aquila), which is focused on the evaluation of psychobiological correlates of gender transition, as well as on transphobia and homophobia levels in general population and healthcare providers.

Our children and adolescents GD team is part of an international research project (AGIR) with the Gender Centre of the VU University Medical Center of Amsterdam (The

Netherlands) and the gender teams of Ghent, Oslo, London, Hamburg, Boston and Toronto.

Clinical trials

Since 2010 until now, the centre has been involved in several national and international multicentre clinical trials, either supported or not supported by industries. The centre contributed with relevant number of patients recruited and with high retention rates, so that it always ranked among the first enrolling centres.

Since 2013 the Center is the leading organizer of the EAA Multicenter study "Standardization of the male genital tract colour-Doppler ultrasound parameters in healthy, fertile men" (reponsable Dr Francesco Lotti)

Since 2010 onwards, the centre has been involved in the following industry supported multicentre international clinical trials:

- 1) BAY 98-7081/14694: A prospective, randomized, double-blind, double-dummy, placebo and active controlled, multicentre study assessing the efficacy and safety of the combination BAY 60-4552/vardenafil compared to vardenafil (20 mg) for the treatment of erectile dysfunction not sufficiently responsive to standard therapy with PDE5 inhibitors. Sub-Investigator, BayerHealthCare.
- 2) Premature Ejaculation-Actual Use Safety and Effectiveness Study (PAUSE). Investigator, Janssen-Cilag International N.V. An observational study
- 3) MK8692-031_A phase III, multi-center, open label, uncontrolled trial to investigate the efficacy and safety of MK-8962 (corifollitropin alfa) in combination with human Chorionic Gonadotropin (hCG) in inducing increased testicular volume and spermatogenesis in adult men with hypogonadotropic hypogonadism who remain azoospermic when treated with hCG alone.
- 4) I5E-MC-TSAT A Randomized, Double-Blind, Placebo-Controlled Parallel Study with an Open-Label Extension to Assess the Impact of Testosterone Solution on Total Testosterone, Sex Drive and Energy in Hypogonadal Men.

Since 2010 onwards, the centre has been involved in the following non-supported multicentre international clinical trials:

- 1) Registry of Hypogonadism in Men (RHYME), Clinical Research Associate, New England Research Institute, Inc. An observational study
- 2) Significance of the FSH receptor polymorphism p.N680S for the efficacy of FSH therapy of idiopathic male infertility: a pharmacogenetic approach. A phase II b, multicenter, prospective, open label, one arm, clinical trial stratified according to the patient's genotype. An investigator-started, non-sponsored trial.
- 3) Standardization of male genital tract colour-Doppler ultrasound parameters in healthy, fertile men. SUsPHeM, an EAA project. An observational study

Since 2010 onwards, the centre has been involved in the following non-supported multicentre national clinical trials:

- 1) Cardiovascular Outcome of Replacement with Testosterone (CORTe). An observational study
- 2) SIAMsO-NOI: Società Italiana di Andrologia e Medicina della sessualità Osservatorio Nazionale Outcome Ipogonadismo. An observational study Since 2010 onwards, the centre also started non-supported single-centre clinical trials, designed and performed in the centre itself:
- 1) Effectiveness of Testosterone Replacement Therapy (TRT) on Prostatic Gland in Hypogonadal Patients Affected by Benign Prostatic Hyperplasia (BPH) and Metabolic

Syndrome (MetS). Florence-PROTEST. NCT02366975. A double-blind, Placebo-controlled Study

- 2) Vardenafil and Cognitive-behavioral Sex Therapy for the Treatment of Erectile Dysfunction (STEDOV). An interventional randomized clinical trial
- 3) Double-blind, Placebo-controlled Study on Men With Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia to Assess Changes in Pressure Flow Study and in Molecular Profile of Prostatic Tissue After 12 Weeks Treatment With Tadalafil. NCT02252367
- 4) Study of the effect of testosterone treatment on metabolic parameters and LUT function in bariatric patients. An observational study
- 5) Study of the effect of testosterone treatment on inflammatory parameters and clinical scores in patients with Crohn disease. An observational study
- 6) Study on the Effect of Combined Oral Contraceptive Therapy on Female Sexuality, Body Image and Mental Health. An observational study
- 7) Pilot Interventional Study on Clitoral Ultrasound Measures and Psychobiological Correlates of Female Sexual Function
- 8) Observational study for evaluating the effect of restoring euthyroidism on female sexual function

The following clinical trials are currently ongoing:

- 1) Effectiveness of Testosterone Replacement Therapy (TRT) on Prostatic Gland in Hypogonadal Patients Affected by Benign Prostatic Hyperplasia (BPH) and Metabolic Syndrome (MetS). Florence-PROTEST. NCT02366975. A Double-blind, Placebocontrolled Study
- 2) Double-blind, Placebo-controlled Study on Men With Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia to Assess Changes in Pressure Flow Study and in Molecular Profile of Prostatic Tissue After 12 Weeks Treatment With Tadalafil. NCT02252367
- 3) Study of the effect of testosterone treatment on metabolic parameters and LUT function in bariatric patients. An observational study
- 4) Study of the effect of testosterone treatment on inflammatory parameters and clinical scores in patients with Crohn disease. An observational study
- 5) Study on the Effect of Combined Oral Contraceptive Therapy on Female Sexuality, Body Image and Mental Health. An observational study
- 6) Pilot Interventional Study on Clitoral Ultrasound Measures and Psychobiological Correlates of Female Sexual Function
- 7) Observational study for evaluating the effect of restoring euthyroidism on female sexual function

The following supported multicentre clinical trial is expected to start enrolment within February:

- A phase III, multi-center, open label, single-group trial to investigate the efficacy and safety of MK-8962 (corifollitropin alfa) in combination with human Chorionic Gonadotropin (hCG) for initiation or restoration of puberty as assessed by increased testicular volume in adolescent males 14 to <18 years old with hypogonadotropic hypogonadism (Phase III; Protocol No. MK-8962-043-00)

Basic research on erectile dysfunction, hypogonadism and female sexual function The laboratory basic research activities focused mainly on:

• Pathophysiology of the erectile function and investigation of the urogenital tract derangements induced by metabolic syndrome (MetS), diabetes and hypertension, by means of ex-vivo and in-vitro studies in rabbit and rat animal models

- Bladder, prostate and corpora cavernosa dysfunction in animal models, with particular focus on the effects of PDE5 inhibitors and sexual hormones on the underlying pathogenetic mechanisms
- Effect of physical activity on penile erection and peripheral vascular districts functional alterations induced by high-fat diet in an animal model of MetS
- Effect of the changing sex-steroid milieu on clitoris function in a rat model of ovariectomy
- Studies on adipose tissue dysregulation and liver dysfunction associated with MetS features, including LUTS and inflammation, focusing on the role of androgen/estrogen ratio in pre-adipocytes from visceral adipose tissue in the rabbit animal model of MetS
- Mechanisms regulating differentiation and function of gonadotropin-releasing hormone neurons in humans and MetS animal models

Molecular Genetics

- The research activity in genetics of male infertility started in 1995 with the Y chromosome microdeletions, now a routine genetic test. Since then the laboratory is dedicated to the identification of genetic factors involved in male infertility, cryptorchidism, testis cancer and recurrent abortion. Y chromosome-linked copy number variations (CNVs) in relationship with the above pathologies represents a major area of research, also in collaboration with other centers (such as the EAA Center in Barcelona and the National Oncology Institute in Budapest) Given the specific competencies of the laboratory in Y chromosome rearrangements, the laboratory organized a multicenter study aimed at defining the role of AZFc region-linked CNVs in testis cancer. The second relevant research topic of the last 6 years has focused on on X-linked copy number. For the first time in the literature we have used a high resolution array-CGH able to identify copy number variations (losses and gains) on the X chromosome with potential effect on spermatogenesis. Three published studies provided clinically relevant data: i) a significantly higher deletion load in patients versus controls; ii) the identification of the first recurrent X chromosome-linked deletion; iii) the identification of a novel X-linked candidate gene. In the last 3 years we are focusing on exome studies in familial cases of non-obstructive azoospermia and familial testis tumors and manuscript are under revision.
- 2) Pharmacogenetic studies on three SNPs on FSH β (rs10835638 in position -211) and FSHR (rs6166 and rs1394205) in infertile patients under treatment with FSH have been carried out during the last 4 years with two different end-points. One study has been entirely performed in Florence and lead by C. Krausz, whereas another study has been performed in the frame of a collaborative work leaded by M. Simoni
- Currently the "Istituto Toscano Tumori" (ITT) is financing a project for the evaluation of the effect of cytostatic therapy on the male gamete genome. As "sentinels" of the genomic effects of cytostatic therapy we are analysing prior and after therapy three molecular markers in sperm derived DNA: i) 7 selected microsatellites; ii) DNA methylation profile; iii) sperm DNA fragmentation (SDF). The ultimate goal of the project is to define reproductive safety in oncological patients and thus provide evidence based information for decision making concerning the type of conception (pre-therapy frozen/thawed spermatozoa in the context of in vitro fertilization) or

natural pregnancy (spermatogenesis is recovered in about 80% of patients after chemotherapy).

The majority of the research projects performed in this laboratory have a clear translational feature and are aimed to implement the available diagnostic tests in male infertility. Genetic studies in men with impaired spermatogenesis are relevant also for the potential transmission of genetic anomalies to the next generation through Assisted Reproductive Techniques. Studies focusing on genetic factors involved in testis tumors are relevant for the prediction of genetic risk for this disease.

Sperm & prostate biology

In the research activity on sperm biology three different topics have been developed:

- Validation of TUNEL/PI technique to detect DNA fragmentation in sperm. A study has been conducted to evaluate the predictive power of the test toward natural fertility by matching 50 fertile with 150 infertile men (male partners of infertile couples). The study revealed that a cytometric sperm population recently described by the group is able to discriminate between the two groups of men independently of age and semen quality.
- Investigation on post-translation modifications of sperm proteins. In particular, ubiquitination and sumoylation in sperm and their relationship with semen quality have been studied. In addition, several sumoylated proteins have been characterized.
- Effect of methods of sperm selection for ARTs on sperm DNA fragmentation. The study allowed to show that the very popular method of sperm selection PureeSperm results in DNA damage in sperm.

In the research activity on prostate biology two different topics have been developed:

• A study has been financed by AIRC in 2016 to evaluate the possible prediction of a series of markers found in serum, urine and bioptic specimens of Prostate cancer men. The study is ongoing.

Clinical activities

Andrology and Sexology

In 2015, a total of 2250 new referrals and 4185 follow-up visits were performed in the centre.

Clinical activities are divided into:

- 1) andrological consultations, accounting for 67.6% of clinical activity. A minor part of them includes also endocrinology consultations for endocrine conditions arisen during the andrology assessment
- 2) consultations for male infertility at the Centre of Reproductive Medicine, accounting for 21.1% of the entire activity
- 3) gender dysphoria, accounting for 3.5% of clinical activity
- 4) female sexual dysfunction, accounting for 4.9% of clinical activity
- 5) consultations for oncological patients who wish to preserve fertility, accounting for 2.3% of clinical activity
- 6) endocrinology of the transition from paediatric to adult age, accounting for 0.62% of clinical activity.

Andrological consultations performed at the Sexual Medicine and Andrology Unit are dedicated to male infertility in 28% of the patients. Among patients referred to the Sexual Medicine and Andrology Unit for male sexual disorders (72% of the andrological consultations), 58.7% are for erectile dysfunction, 37% for decreased sexual desire, 25.5% for premature ejaculation, 8.2% for delayed ejaculation and finally 12.4% for Peyronie's disease. In our clinical sample low total testosterone (<10.4 nmol/l) was found in 19.9% of the cases.

In the Sexual Medicine and Andrology Unit, an ultrasound service is active. Ultrasound is performed in the clinical management of patient referred to the Unit. In the centre, penile colour-doppler ultrasound, transrectal colour Doppler ultrasound of the male genital tract, testis colour-Doppler ultrasound, male mammary gland and thyroid ultrasounds are performed. In 2015, overall 1665 ultrasonographic exams were performed.

Furthermore in 2015, 243 verapamil intralesion injection therapies for Peyronie's disease and 162 training for intracavernosal injections of vasoactive medications (prostaglandin E1) for therapy of erectile dysfunction were performed.

Since 2010, the following new clinical activities were introduced:

- the endocrinology of the transition from paediatric to adult age, started in 2015 and with the main objective of creating a connection between Pediatric Hospital Care and Adult Hospital Care in adolescents with endocrine conditions, in particular congenital or acquired diseases of the male reproductive axis;
- "day service" for erectile dysfunction, active since 2014, aimed at completing during one morning time, the diagnostic workup (including andrological visit, penile colour Doppler ultrasound, blood sampling for evaluation of metabolic and hormonal status). In this context, if necessary, coordinated and interdisciplinary interventions are activated for a complete clinical diagnosis (for example: urological visit, psychiatric examination, electrophysiological test of pudendal nerve conduction, ECG before, during and after exercise on a treadmill or using a bicycle ergometer, Doppler ultrasound assessment of the cerebral arteries etc). During 2015, we performed 150 day service for erectile dysfunction;
- outpatient clinic dedicated to men with malignancies that, before starting treatments for cancer, are referred to our Unit for sperm cryopreservation. Since 2013, the clinical andrological assessment, performed before sperm cryopreservation is aimed at providing a proper counselling about assessment of risk for infertility, eligibility for fertility preservation method, methods and indications for assisted reproductive technology that might be needed in the future and, finally, prognosis in terms of recovery of spermatogenesis after anti-cancer therapies. This is a service complimentary to sperm cryopreservation (that is active since 1998), activated for supporting patients in obtaining correct information on fertility consequences of cancer. See the specific paragraph below for further details
- sperm donor selection, since 2014. See the specific paragraph below for further details
- outpatient clinic dedicated to Gender Dysphoria in childhood and adolescence, since 2014. See the specific paragraph below for further details
- "day service" for male infertility, already present in 2010, has been greatly developed and expanded since 2012. During a single morning, a complete clinical workup of the patient is performed (including visit, semen analysis, scrotal, external and internal genital tract ultrasound before and after ejaculation, blood venous sampling for metabolic and hormonal parameters). Whenever necessary, coordinated and interdisciplinary interventions are activated for a complete clinical diagnosis (for

example: genetic counselling and investigations, pituitary MRI, bacteriological tests for urine and seminal fluid etc). In 2015 we performed 210 day service for male infertility.

The Centre takes advantage of the collaboration with psychiatrists, who had, during 2015, 180 new referrals and 540 follow up visits for psychiatric diseases in patients with sexual disorders and for the diagnostic assessment of the patients evaluated for gender dysphoria.

Furthermore, in the Unit, a service with psychologists for couple therapy of sexual problems or for real life experience in gender dysphoria subjects is available. In 2015 the psychologists performed 405 visits.

Moreover, the Unit is involved in several international clinical trials dealing with male hypogonadal patients, erectile dysfunction patients and infertile patients (see before).

Assisted Reproduction Program

The Centre of Human Reproduction has been set up since 1996 in order to provide simultaneously andrological and gynaecological consultations for infertile couple.

After the approval of the Italian law governing assisted reproductive technology with gamete donation in 2014 and the consequent requirement to increase the clinical activity in such field, the mode for andrological consultations was modified. Andrological consultations at the Center of Human Reproduction are now performed only for newly referred patients for couple infertility. About 15-20% of the patients referred to the Center of Human Reproduction present a male factor or endocrine female factor for infertility. These patients are referred to the Sexual Medicine and Andrology Unit for proper diagnostic assessment and therapy.

In case that assisted reproductive technology with male gamete donation is planned, the andrologist assesses if the indication is appropriate (i.e. no other therapy is possible for male partner). In case that assisted reproductive technology with female gamete donation is planned, the andrologist evaluates the fertility health of male partner.

Oncological patients

Oncological patients attending the clinic for cryopreservation of semen prior chemo/radiotherapy undergo to a complete andrological clinical workup which includes standardized questionnaire, physical exam, hormone dosage, Y chromosome deletion analysis in testis cancer patients and semen analysis. A yearly andrological follow up is performed with semen analysis up to 3 years. Patients who are affected by testis cancer, haematological malignancies are invited to participate at the research project (see in the dedicated paragraph in research section before) aimed to study the genotoxic effects of chemo/radiotherapy. To date, 243 patients have been included in the study.

Sperm Donation

After the approval of the Italian law governing assisted reproductive technology with gamete donation in 2014, we started performing a clinical protocol for the evaluation of potential sperm donors. Potential donors must be aged more than 18 years. The recommended upper limit of age is 40 years. The semen sample quality must be evaluated before donation. Semen parameters should be equal to or above the 50° percentile, according to the criteria of the WHO (2010).

Briefly, the selection procedure requires an accurate medical history, psychiatric evaluation and physical examination. Karyotype and testing for cystic fibrosis carriers

should be performed on all donors. In addition, infective diseases markers should be negative before and after 180 days of the last semen donation.

To date, we have selected 30 potential donors, of them, 16 with suitable semen parameters for continuing the selection procedure. Of them, only 3 (18.8%) were eligible for donation.

Female Sexual Dysfunctions

In 2008 an outpatient clinic dedicated to Female Sexual Dysfunctions was introduced and has been consolidating throughout the years. In 2015, 90 new admission visits and 230 follow-up visits were performed by a team composed of an endocrinologist, a gynecologist and a mental health professional (psychiatrist or psychologist). Patients are referred both from primary care settings (general practitioner) and from other specialists (i.e. psychiatrist, neurologists, urologists). As a part of an active collaboration with the Gynecology Unit, and in order to meet the growing demands of users, a service dedicated to the management of sexual dysfunction in postmenopausal gynecologic cancer patients has been recently created. Other prominent activities include evaluation of sexual symptoms in patients with eating disorders, severe obesity, neurologic diseases (i.e. multiple sclerosis), and sexual adverse effects of hormonal contraceptive therapy. Whenever appropriate in order to complete the diagnostic work-up, Doppler ultrasound of external genitals is performed, with evaluation of clitoral vascularization.

In addition to clinical activity, the Female Sexual Dysfunctions clinic members are involved in research, trials, teaching and training of medical and postgraduate students (see before).

Gender dysphoria (GD) in adulthood

The Gender Team is active since the end of 2005 and deals with different activities: diagnostics; medical, psychotherapeutic and surgical assistance during the gender transition process, research and teaching. Following the guidelines of the Endocrine Society (Hembree et al., 2009) and the Standards of Care (SOC) for GDs by the World Health Professional Association for Transgender Health (WPATH, Coleman et al., 2011), the centre works as a multidisciplinary team composed by psychiatrists, endocrinologists, psychologists, urologists and plastic surgeons.

Concerning the diagnostic part, a team, composed by a psychiatrist, a psychologist and an endocrinologist, performs an integrated evaluation (interviews and psychometric tests) following the DSM-5 (APA, 2013) diagnostic criteria. The gender reassignment process includes the gender role transition, the cross-sex hormonal therapy and Sex Reassignment Surgery (SRS), if requested.

Since the activity with GD started, the number of assisted patients progressively increased: currently, 180 Male to Female (MtF) and 85 Female to Male (FtM) gender dysphoric subjects.

Gender dysphoria in childhood and adolescence

Since 2014 a unit for atypical gender development in children and adolescents was opened in line with international and Italian recommendations (Hembree et al., 2009; Coleman et al., 2011; Fisher et al., 2014). In particular, a diagnostic process, psychological support and psycho-education are performed in order to offer proper assistance to young people with gender identity issues and their families. The service works in close collaboration with the unit for adult GD people and is again multidisciplinary being composed by a psychologist, a psychiatrist and an endocrinologist.

Since the activity started, 30 young people were seen: 15 adolescents with GD, 4 children with DG, 3 Disorders of sex development (DSD) and other cases presenting with other gender identity issues (e.g. transgender, internalized homo-transphobia) but with no GD.

Diagnostic Molecular Genetics

The diagnostic part of the molecular genetics laboratory focuses on three types of genetic factors: i) Y chromosome microdeletion analysis (AZF deletions and the newly identified Y-linked risk factor, gr/gr deletion) in infertile men with < 10 million spermatozoa/ml. The number of Y chromosome routine exams in the last 6 years were 906; ii) search for mutations in two candidate genes for congenital hypogonadotrophic hypogonadism: GnRHR and FGF8. This mutational analysis has been performed in a total of 130 subjects as part of a consortium under the auspices of the Italian Society of Endocrinology; iii) analysis of the DPY19L2 gene in patients affected by globozoospermia.

The laboratory is the reference laboratory for the European Molecular Genetics Quality Network (EAA/EMQN Y chromosome scheme) and provides the characterization of cell lines for Y chromosome microdeletions and annual validation of selected samples for external quality control.

Sperm analysis & Cryobanking

The principal routine analysis of the semen laboratory are: Semen Analysis, Capacitation Tests, Biochemical Assay, Interleukin 8 Elisa Assay, Semen Cryopreservation, evaluation of sperm DNA fragmentation. The total activity remained stable during the last 5 years, and substantially unchanged as compared with 2009. The laboratory is a Regional Reference Centre for Semen Cryopreservation with a total of more than 1800 samples currently cryopreserved. Most of them regards samples from patients affected by neoplastic disease, and a minority (about 10%) from spinal cord injury patients. Also patients with oligospermia are offered cryopreservation.

In addition, two years ago the lab started a service of sperm DNA fragmentation test for infertile patients, on demand from clinical physicians. Such service (about 10 semen samples/month) is totally free and the patients are advised that the service is based on an experimental method.

The lab adheres to the external quality control, UK NEQAS, since 2005. The centre is going to organize, in collaboration with the Quality Control Unit of the hospital and the Region Tuscany an External Quality Control for sperm concentration, morphology and motility.

Name and address of	of Centre	
Sexual Medicine & Ar Università degli Stud Dipartimento di Fisio Viale G. Pieraccini 6 I-50139 Firenze, Italy Tel: +39 055 4271 41 Fax: +39 055 4271 42	i di Firenze, opatologia Clinica, 7 14	
Type of Centre University University Hospital Private Centre Other (please specify)	X	
1a. Director	Mario Maggi	
Academician	X Affiliated Member Clinical Andrologist	
1b. Co-Director	Csilla Krausz	
Academician	X Affiliated Member Clinical Andrologist	X
2a. Clinical respons	ible Linda Vignozzi	
Academician	X Affiliated Member Clinical Andrologist	
2b. Clinical respons	ible Angela Magini	
Academician	Affiliated Member Clinical Andrologist	

Affiliated Member

Clinical Andrologist

Book I

Academician

2c. Clinical responsible

1	O
J	O

3. Present Staf	f (Senior Scientists)	
1)	Name Degree Speciality	Elisabetta Baldi Associate Professor PhD Biology
Academician	X Affiliate	ed Member Clinical Andrologist
2)	Name Degree Speciality	Linda Vignozzi Associate Professor MD, PhD Endocrinology
Academician	X Affiliate	ed Member Clinical Andrologist

Insert any additional staff below (if required)

MD/Biologists	/Chemists		
1)	Name	Francesco Lotti	
	Degree	Researcher MD, PhD	
	Speciality	Endocrinology	
	Full time/part time	Full time	
Academician	X Affiliat	ed Member Clinical Andrologist	X
2)	Name	Alessandra D. Fisher	
,	Degree	MD, PhD	
	Speciality	Endocrinology	
	Full time/part time	Full time	
Academician	Affiliat	ed Member Clinical Andrologist	
3)	Name	Sandra Filippi	
0)	Degree	Biologist	
	Speciality	Pharmacology	
	Full time/part time	Full time	
	7 1		
Academician	Affiliat	ed Member Clinical Andrologist	
		<u> </u>	
4)	Name	Paolo Comeglio	
	Degree	Biologist	
	Speciality		
	Full time/part time	Full time	
Academician	Affiliat	ed Member Clinical Andrologist	
5)	Name	Ilaria Cellai	
3)	Degree	PhD	
	Speciality	Biologist	
	Full time/part time	Full time	
	r an enne, par e enne	Tun emic	
Academician	Affiliat	ed Member Clinical Andrologist	
		<u> </u>	
6)	Name	Monica Muratori	
	Degree	Biologist	
	Speciality		
	Full time/part time	Full time	
	A CG11		
Academician	Affiliat	ed Member Clinical Andrologist	
7)	Name	Sara Marchiani	
·)	Degree	PhD	
	Speciality	Biologist	
	Full time/part time	Full time	
	- / F		

20		
Academician	Affiliate	d Member Clinical Andrologist
8)	Name Degree Speciality Full time/part time	Lara Tamburrino PhD Biotechnologist Full time
Academician	Affiliate	d Member Clinical Andrologist
9)	Name Degree Speciality Full time/part time	Serena Vinci PhD Biotechnologist Full time
Academician	Affiliate	d Member Clinical Andrologist
10)	Name Degree Speciality Full time/part time	Giovanni Castellini Researcher MD PhD Psychiatry Part time
Academician	Affiliate	d Member Clinical Andrologist
11)	Name Degree Speciality Full time/part time	Helen Casale Psychologist Part time
Academician	Affiliate	d Member Clinical Andrologist
12)	Name Degree Speciality Full time/part time	Jiska Ristori Psychologist Part time
Academician	Affiliate	d Member Clinical Andrologist

Insert any additional staff below (if required)

Specialists	Dr. Matteo Rossi MD – Endocrinologist
1) Name	Dr. Chiara Maggioli - Endocrinologist
2) Name	
3) Name	
4) Name	
5) Name	
PhD Students	
1) Name	Valentina Boddi, MD - Endocrinologist - Clinical
	Andrologist
2) Name	Elisa Maseroli, MD – Endocrinologist
3) Name	Elena Casamonti - Biotechnologist
4) Name	Chiara Corno - Biotechnologist
5) Name	Francesca Corcetto – Biotechnologist
Resident Students	
1) Name	Giulia Rastrelli MD, PhD - Academician - Clinical
	Andrologist
2) Name	Sarah Cipriani MD
3) Name	
Nurses	-
1) Name	
2) Name	
3) Name	
Laboratory Technicians	
1) Name	Selene Degl'Innocenti
2) Name	Maria Grazia Fino
3) Name	
Administrative Personnel	
1) Name	Raffaella Gori
2) Name	
3) Name	
•	

4. Clinical Activity

A. Outpatients: Consultations per year in the last 3 years $\,$

	2013	2014	2015
New patients	1690	1720	2250
Follow-up patients	4010	4080	4185

Type of patients in the last years (%)	2013	2014	2015
Infertility	27	26.7	27
Erectile dysfunction	54	54.3	54
Hypogonadotropic Hypogonadism	5.7	5.6	5.6
Klinefelter	3.2	3.1	3.1
Gynaecomastia	1.6	1.6	1.5
Varicocele	1.9	1.9	1.8
Cryptorchidism	0.3	0.3	0.3
Male sex accessory gland infections	2.7	2.7	2.5
Testicular tumours	0.1	0.1	0.1
Disorders of gender identity	2.4	2.8	3.5
Other	1.1	1	0.6

B. Ultrasound (testis, penile, prostate)

	2013	2014	2015
Total	1548	1520	1665
Controls			

C. Andrological surgery procedures

	2013	2014	2015
Testicular biopsies			
Varicocele ligation			
Prostate biopsies			
ВРН			
Prostate cancer			
Vasectomy			
Vaso-vasostomy			
Other			

5. A. Andrology laboratory activity

	2013	2014	2015
	2010+ 205	2026+ 206	2250+199
Semen analyses	sperm capacitation	sperm capacitation	sperm capacitation
Sperm antibodies	1700	1700	1850
	194 IL8/106	207 IL8/154	271 IL8/117
Seminal markers	sperm DNA	sperm DNA	sperm DNA
	fragmentation	fragmentation	fragmentation

Sperm antibodies	1700	1700	1850
Seminal markers	194 IL8/106 sperm DNA fragmentation	207 IL8/154 sperm DNA fragmentation	271 IL8/117 sperm DNA fragmentation
5. B. Andrology laboratory activity			
Sperm banking donors	Yes X	No	
Sperm banking cancer patients	Yes X	No	
If yes:	_	_	
	2013	2014	2015
Number of samples cancer patients	202	178	209
Number of samples sperm donors	-	-	4
5. C. Histopathologial evaluation of	biopsies	Yes X No	
5. D. Reproductive Hormones Assay	vs Y	Yes No	X
If yes please specify type of assays and number of samples in the last year Reproductive Hormones Assays (FSH, LH, testosterone, SHBG, prolactin)			
5. E. Y chromosome microdeletions according to Yes X No EAA/EMQN guidelines			
If yes number of tests in the past ye	ar	34	
Participation to the EAA quality control scheme? Yes X No			
If no, specify if available in another lab of the same Yes hospital			No
Blood karyotyping		Yes	No X
<i>If no,</i> specify if available in anoth hospital	er lab of the san	ne Yes X	No

6. Collaborations with other Clinical Units of the University/Hospital

IVF Unit	Yes	X No	
Urology Clinic	Yes	X No	
Endocrine Clinic	Yes	X No	
Genetics Lab/Unit	Yes	X No	
Paediatric Unit	Yes	X No	
Central Hospital Laboratory	Yes	X No	
Private Centres	Yes	X No	

If yes please specify:

- EAA Training Center of Rome, Department of Medical Pathophysiology University "La Sapienza" Rome, Italy (Prof. A. Lenzi; Dr. AM. Isidori; Dr. L. Gandini)
- EAA Andrology Training Center, Endocrinology, Andrology Unit, Department of Medicine and Applied Biotechnologies, Polytechnic University of Marche, Umberto I Hospital, Ancona, Italy (Prof. G. Balercia Department of Experimental Medicine, University of L'Aquila, L'Aquila, Italy. (Prof. EA. Jannini)
- Center of Assisted Reproductive Tecnology, Careggi Teaching Hospital (Prof. E. Coccia)
- Diabetes Agency, Careggi Teaching Hospital, Florence, Italy (Dr. E. Mannucci; Dr. M. Monami)
- Department of Anatomy, Histology and Forensic Medicine, University of Florence, Florence, Italy (Prof. GB. Vannelli; Prof. A. Morelli; Dr. M. Marini)
- Psychiatric Unit, Department of Neuropsychiatric Sciences, Florence University School of Medicine, Firenze, Italy (Prof. V. Ricca, Dr. G. Castellini)
- Department of Urology, University of Florence, Florence, Italy (Prof. M. Carini; Dr. M. Gacci, Dr. A., Natali)
- Andrology Research Unit, Centre for Endocrinology and Diabetes, Institute of Human Development, Faculty of Medical and Human Sciences, University of Manchester (Prof. F. Wu)
- Division of Endocrinology and Metabolic Diseases, Department of Internal Medicine, University of Turin, Turin, Italy (Prof. C. Manieri)
- EAA Center Fundacio Puigvert, Barcelona, Spain (Dr. E. Ars, Dr. E. Ruiz-Castané)
- EAA Training Center of Zagreb, Croatia (Prof. D. Jezek)
- National Oncology Institute, Budapest, Hungary (Prof. E. Olah, Dr. T. Vaszko)
- Center has entered into the educational program "Prevention in andrology" of the Italian Ministry of Health and the Italian Society of Andrology and Sexual Medicine (SIAMS)
- Department of Endocrinology, VU University Medical Center, Amsterdam, The Netherlands (Prof Martin Den Heijer)
- Department of Medical Psychology, VU University Medical Center, Amsterdam, The Netherlands (Prof Peggy Cohen-Kettenis)

- Department of Endocrinology, University of Ghent (Belgium (Prof. Guy T'Sjoen)
- Department of Endocrinology, Oslo University Hospital, Oslo, Norway (Prof Thomas Schreiner).
- Tecnobios (Bologna) and Demetra (Florence) but only for research purposes

7. Clinical	teaching	activity
-------------	----------	----------

Duration of training (years): 2

	Number
A: Trainees in the last five years	46 for the Master Course in Sexual Medicine and Fertility (4 course in the last 5 years) 16 for the Post Graduate Course on Fertility (2 course in the last 4 years)
B: Trainees who passed EAA-ESAU\exam for Clinical Andrologist in the last 5yrs	3
C: Trainees working in the centre preparing to pass the EAA-ESAU examination	3
D: PhD Students	12
E: Medical Students	12
F: Other students (MSc)	18

8. Formal Andrology teaching program	Yes	X	No	
If yes: specify duration (years/months):	Years	2	Months	

	Hours of formal teaching	Professional training	
	per year	(weeks/months)	
Medical Students	160 hours/year	7 hours/week	
PhD Students	80 hours/year	38 hours/week	
Post Graduate students 80 hours/year 38 hours/week		38 hours/week	
Trainees 96 hours/year 40 hours/week			
Other degrees (please specify)			

9. Research Activity(maximum 1 page)

Clinical research on erectile dysfunction and hypogonadism: 1) organic and psychorelational correlates of male sexual dysfunction, 2) cardiovascular risk factors in men with erectile dysfunction, 3) clinical and metabolic correlates of low testosterone, 4) cardiovascular risk associated with low testosterone levels and with testosterone replacement therapy.

- Corona et al. Eur J Endocrinol 2011; 165 (5): 687-701 (IF 3.892)
- Rastrelli et al., J Clin Endocrinol Metab. 2015 Aug;100(8):3172-82 (IF 5.531)
- Corona et al., J Sex Med 2011; 8:2098-2105 (IF 2.844)

Ultrasound: 1) male genital tract and penile color-Doppler ultrasound evaluation in infertile and fertile subjects and in patients with sexual dysfunctions; 2) association of ultrasound features with clinical, seminal and biochemical parameters. In particular, we mainly focus on the investigation of ultrasound correlates of male infertility, sexual dysfunctions, chronic pelvic pain and on the impact of obesity and metabolic syndrome on sonographic, seminal and sexual parameters.

- Lotti et al. Hum Reprod. 2016 Dec;31(12):2668-2680. (IF 4.621)
- Lotti et al., Hum Reprod. 2015 Mar;30(3):590-602. (IF 4.621)

Female Sexual Dysfunction: organic and psycho-relational determinants of female sexual desire; sexual and psychological symptoms in patients with eating disorders (e.g. anorexia nervosa), metabolic alterations (e.g. obesity) and history of sexual trauma; effects of oral contraceptives containing androgenic progestins compared with other contraceptives on sexuality; effects of sex steroids on clitoral Doppler parameters; effect of alterations of thyroid function on female sexuality; organic and psycho-relational correlates of genitopelvic pain/penetration disorder.

- Maseroli et al., J Sex Med. 2016 Nov;13(11):1651-1661 (IF 2.844)
- Maseroli et al., Andrology. 2016 Sep;4(5):911-20 (IF 2.515)

Gender Dysphoria in adulthood and adolescence: effects of CHT on hormonal and metabolic parameters, bone density, anthropometric characteristics, as well as physical well-being of GD persons (European Network for the Investigation of Gender Incongruence, ENIGI); psychobiological correlates of gender dysphoria, particularly in terms of body uneasiness and psychopathological symptoms; psychobiological effects of gender transition; transphobia and homophobia levels in general population and healthcare providers; Psychobiological correlates of gender dysphoria in adolescence.

- Fisher et al., J Clin Endocrinol Metab. 2016 Nov;101(11):4260-4269 (JF 5.531)

Basic research of hypogonadism and sexual medicine: Basic research on erectile dysfunction, urogenital tract derangements, hypogonadism and female sexual function by means of ex-vivo and in-vitro studies in rabbit and rat animal models of metabolic syndrome (MetS), diabetes, hypertension and estrogen deficiency.

- Morelli et al., J Steroid Biochem Mol Biol. 2012 Oct;132(1-2):80-92 (IF 3.985)
- Vignozzi et al., Mol Cell Endocrinol. 2014 Mar 25;384(1-2):143-54 (IF 3.859)
- Vignozzi et al., J Sex Med. 2014 Dec;11(12):2890-902. (IF 2.844)

Sperm ad prostate biology: Validation of the TUNEL/PI technique (set up in this laboratory) to detect DNA fragmentation in sperm. A study has been conducted to evaluate the predictive power of the test toward natural fertility by matching 50 fertile with 150

infertile men (male partners of infertile couples). The study revealed that a cytometric sperm population recently described by the group is able to discriminate between the two groups of men independently of age and semen quality.

- Muratori et al., Fertil Steril. 2015 Sep;104(3):582-90.e4. (IF: 4.426)
- Muratori et al., Mol Med. 2015 Jan 30;21:109-22. (IF: 3.530)
- Tamburrino et al., Hum Reprod. 2014 Mar;29(3):418-28. (IF: 4.621)

Androgenetics: 1) the role of Sex chromosome-linked CNVs in male infertility; 2) Pharamacogenetics of FSH treatement; 3) Exome studies in familial and sporadic idiopathic secretory azoospermia; 4) Central hypogonadism; 5) sperm genome damage after cytotoxic therapy; 6) sperm DNA methylation

- Krausz C et al PLoS One. 2012;7(10):e44887 (IF 4.09)
- Lo Giacco et al J Med Genet. 2014 May;51(5):340-4. (IF 5.63)
- Chianese C et al PLoS One. 2014 Jun 10;9(6). (IF 4.09)
- Chianese et al Hum Reprod. 2013 Nov;28(11):3155-60. (IF 4.621)

10. Research Funding

Please specify the amount of available funds in the last 3 years and their source (Government, European Union, University, Local Government, Pharmaceutical Industries, Banks, Foundations....)

ear otal amount (€) inding urce(s)	2014-ongoing 45.000 Bayer HealthCare - Effectiveness of Testosterone Replacement Therapy (TRT) on Prostatic Gland in Hypogonadal Patients
otal amount (€) Inding	45.000 Bayer HealthCare - Effectiveness of Testosterone Replacement Therapy (TRT) on Prostatic Gland in Hypogonadal Patients
ınding	Bayer HealthCare - Effectiveness of Testosterone Replacement Therapy (TRT) on Prostatic Gland in Hypogonadal Patients
_	Therapy (TRT) on Prostatic Gland in Hypogonadal Patients
urce(s)	
	Affected by Benign Prostatic Hyperplasia (BPH) and Metabolic
	Syndrome (MetS). Florence-PROTEST. NCT02366975. A double-
	blind, Placebo-controlled Study
ar	2015
tal amount (€)	28.000
ınding	Merck - MK8692-031_A phase III, multi-center, open label,
urce(s)	uncontrolled trial to investigate the efficacy and safety of MK-
	8962 (corifollitropin alfa) in combination with human Chorionic
	Gonadotropin (hCG) in inducing increased testicular volume and
	spermatogenesis in adult men with hypogonadotropic
	hypogonadism who remain azoospermic when treated with hCG
	alone.
	4)
ar	2015
tal amount (€)	15.000
ınding	Ely Lilly - I5E-MC-TSAT A Randomized, Double-Blind, Placebo-
urce(s)	Controlled Parallel Study with an Open-Label Extension to Assess
	the Impact of Testosterone Solution on Total Testosterone, Sex
	Drive and Energy in Hypogonadal Men.
ear otal amount (€) otal amount (€) otal amount (€) onding	Syndrome (MetS). Florence-PROTEST. NCT02366975. A doub blind, Placebo-controlled Study 2015 28.000 Merck - MK8692-031_A phase III, multi-center, open lab uncontrolled trial to investigate the efficacy and safety of M 8962 (corifollitropin alfa) in combination with human Chorion Gonadotropin (hCG) in inducing increased testicular volume a spermatogenesis in adult men with hypogonadotrophypogonadism who remain azoospermic when treated with he alone. 4) 2015 15.000 Ely Lilly - I5E-MC-TSAT A Randomized, Double-Blind, Placeb Controlled Parallel Study with an Open-Label Extension to Asset the Impact of Testosterone Solution on Total Testosterone, States and Study

7	O
Z	Ö

Year	2015
Total amount (€)	75.000
Funding	Bayer HealthCare - Study of the effect of testosterone treatment
Source(s)	on metabolic parameters and LUT function in bariatric patients.
	An observational study
Year	2016
Total amount (€)	75.000
Funding	Bayer HealthCare - Study of the effect of testosterone treatment
Source(s)	on inflammatory parameters and clinical scores in patients with
	Crohn disease. An observational study
Year	2016
Total amount (€)	20.000
Funding	TEVA - Study on the Effect of Combined Oral Contraceptive
Source(s)	Therapy on Female Sexuality, Body Image and Mental Health. An
source(s)	observational study
Year	2016
Total amount (€)	80.000
Funding	INTERCEPT PHARMACEUTICALS (USA). Effects of chronic
Source(s)	treatment with the selective FXR agonist obeticholic acid (OCA)
	on preadipocyte differentiation capacity
Year	2016
Total amount (€)	40.000
Funding	INTERCEPT PHARMACEUTICALS (USA). Study of the effect
Source(s)	of FXR/TGR5 dual agonist on functional and fibrotic
	alterations induced by metabolic syndrome in peripheral
	vascular districts
Year	2015
Total amount (€)	50.000
Funding	INTERCEPT PHARMACEUTICALS (USA). Effects of therapeutic
Source(s)	treatment with the selective FXR agonist obeticholic acid
	(OCA) in a monocrotaline- induced pulmonary arterial
	hypertension rat model
Year	2015
Total amount (€)	50.000
(0)	

	29
Funding	INTERCEPT PHARMACEUTICALS (USA). Effects of therapeutic
Source(s)	treatment with the selective FXR agonist obeticholic acid (OCA)
	in a bleomycin-induced pulmonary fibrosis rat model
Year	2015
Total amount (€)	60.000
Funding	INTERCEPT PHARMACEUTICALS (USA). Study of the effect of
Source(s)	INT-767 on preadipocyte differentiation capacity
Year	2015
Total amount (€)	506.000
Funding	Italian Ministry of Instructions. Announcement for "Scientific
Source(s)	Independence of young Researchers". Standardization of male
	genital tract colour-Doppler ultrasound parameters in healthy,
	fertile men.
Year	2016
Total amount (€)	90.000
Funding	AIRC - Prostate cancer and psa screening: evaluation of
Source(s)	molecular tirage methods to detect clinically important prostate
	cancer
Year	2016
Total amount (€)	25.000
Funding	IBSA - DNA fragmentation in two cytometric populations of
Source(s)	spermatozoa: biological significance and impact on assisted
	reproduction outcomes
Year	2016
Total amount (€)	5.032
Funding	ABOCA - critical revision of recent literature on male infertility
Source(s)	
Year	2014
Total amount (€)	2.452
Funding	University of Florence - Involvement of the sperm specific
Source(s)	CatSper calcium channel in capacitation and in oocyte
	fertilization
Year	2015
Total amount (€)	2.690

	4	•
~	ı	
J	•	v

Funding Source(s)	University of Florence - Search for new predictive markers of the outcomes of assisted reproductive techniques	
	2011-2014	
Year		
Total amount (€)	331.494,77	
Funding	European Commission-"Marie Curie Network: Reproductive	
Source(s)	Early Research Training" Grant number: Reprotrain /289880.	
	2013-ongoing	
Year		
Total amount (€)	90.000	
Funding	Tuscan Institute of Tumors- Evaluation of cytotoxic therapy	
Source(s)	effects on the male gamete genome	

CENTRE PHOTOS

Please, include at least one high resolution photos

FULL LIST OF PUBLICATIONS (with IF) of staff members from the last 5 years

- 1) Morelli A, Filippi S, Comeglio P, Sarchielli E, Chavalmane AK, Vignozzi L, Fibbi B, Silvestrini, E, Sandner P, Gacci M, Carini M, Vannelli GB, Maggi M. Acute vardenafil administration improves bladder oxygenation in Spontaneously Hypertensive Rats. J Sex Med 7: 107-120, 2010.
- 2) Fibbi B, Morelli A, Vignozzi L, Filippi S, Chavalmane AK, De Vita G, Marini M, Gacci M, Vannelli GB, Sandner P, Maggi M. Characterization of PDE5 expression and functional activity in the human male lower urinary tract. J Sex Med 7: 59-69, 2010.
- 3) Corona G, Ricca V, Boddi V, Bandini E, Lotti F, Fisher AD, Forti G, Mannucci E, and Maggi M. Autoeroticism, mental health and organic disturbancies in patients with erectile dysfunction. J Sex Med 7: 182-191, 2010.
- 4) Muratori M, Tamburrino L, Tocci V, Costantino A, Marchiani S, Giachini C, Laface I, Krausz C, Meriggiola MC, Forti G, Baldi E. Small variations in crucial steps of TUNEL assay coupled to flow cytometry greatly affect measures of sperm DNA fragmentation. J Androl. 2010 Jul-Aug;31(4):336-45.
- 5) Baldi E, Bonaccorsi L, Nesi G, Serni S, Forti G, Luzzatto L. TMPRSS2:ERG fusion gene and androgen-ablation therapy in prostate cancer. Arch Pathol Lab Med. 2010 Jul;134(7):964-5
- 6) Muratori M, Tamburrino L, Marchiani S, Guido C, Forti G, Baldi E. Critical aspects of detection of sperm DNA fragmentation by TUNEL/flow cytometry. SystBiol Reprod Med. 2010 Aug;56(4):277-85
- 7) Baldi E, Muratori M, Marchiani S, Tamburrino L, Fallet C. [Fragmentation and/or decondensation of spermatic DNA: which consequences?]. J Gynecol Obstet Biol Reprod (Paris). 2010 Apr;39(1 Suppl):14-6.
- 8) Corona G, Boddi V, Lotti F, Gacci M, Carini M, De Vita G, Sforza A, Forti G, Mannucci E, and Maggi M. The relationship of testosterone to PSA in men with sexual dysfunction. J Sex Med 7: 284-292, 2010.
- 9) Corona G, Maggi M. The role of testosterone in erectile dysfunction. Nat Rev Urol 7: 46-56, 2010.
- 10) Marchiani S, Tamburrino L, Nesi G, Paglierani M, Gelmini S, Orlando C, Maggi M, Forti G, Baldi E. Androgen-responsive and -unresponsive prostate cancer cell lines respond differently to stimuli inducing neuroendocrine differentiation. Int J Androl 33: 784-793, 2010.
- 11) Corona G, Monami M, Boddi V, Cameron-Smith M, Fisher AD, de Vita G, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Low testosterone is associated with an increased risk of MACE lethality in subjects with erectile dysfunction. J Sex Med 7: 1557-1564, 2010.
- 12) Fisher AD, Bandini E, Ricca V, Ferruccio N, Corona G, Meriggiola MC, Jannini EA, Manieri C, Ristori J, Forti G, Mannucci E, Maggi M. Dimensional profiles of male to female gender identity disorder: an exploratory research. J Sex Med 7: 2487-2498, 2010.
- 13) Corona G, Boddi V, Balercia G, Rastrelli G, De Vita G, Sforza A, Forti G, Mannucci E, Maggi M. The effect of statin therapy on testosterone levels in subjects consulting for erectile dysfunction. J Sex Med 7: 1547-1556, 2010.
- 14) Meriggiola MC, Jannini EA, Lenzi A, Maggi M, Manieri C. Endocrine treatment of transsexual persons: an Endocrine Society Clinical Practice Guideline: commentary from a European perspective. Eur J Endocrinol 162: 831-833, 2010.
- 15) Corona G, Monami M, Boddi V, Cameron-Smith M, Lotti F, de Vita G, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Male sexuality and cardiovascular risk. A cohort study in patients with erectile dysfunction. J Sex Med 7: 1918-1927, 2010.

- 16) Vignozzi L, Corona G, Forti G, Jannini EA, Maggi M. Clinical and therapeutic aspects of Klinefelter's syndrome: sexual function. Mol Hum Reprod 16: 418-424, 2010.
- 17) Comeglio P, Chavalmane AK, Fibbi B, Filippi S, Marchetta M, Marini M, Morelli A, Penna G, Vignozzi L, Vannelli GB, Adorini L, Maggi M. Human prostatic urethra expresses vitamin D receptor and responds to vitamin D receptor ligation. J Endocrinol Invest 33: 730-738, 2010.
- 18) Adorini L, Penna G, Fibbi B, Maggi M. Vitamin D receptor agonists target static, dynamic, and inflammatory components of benign prostatic hyperplasia. Ann N Y Acad Sci 1193:146-152, 2010.
- 19) Corona G, Bandini E, Fisher A, Elisa M, Boddi V, Balercia G, Sforza A, Forti G, Mannucci E, Maggi M. Psychobiological correlates of women's sexual interest as perceived by patients with erectile dysfunction. J Sex Med 7: 2174-2183, 2010.
- 20) Chavalmane AK, Comeglio P, Morelli A, Filippi S, Fibbi B, Vignozzi L, Sarchielli E, Marchetta M, Failli P, Sandner P, Saad F, Gacci M, Vannelli GB, Maggi M. Sex Steroid Receptors in Male Human Bladder: Expression and Biological Function. J Sex Med 7: 2698-713, 2010.
- 21) Corona G, Monami M, Boddi V, Balzi D, Melani C, Federico N, Balzi D, Sforza A, Rotella CM, Forti G, Mannucci E, Maggi M. Is obesity a further cardiovascular risk factor in patients with erectile dysfunction? J Sex Med 7: 2538-2546, 2010.
- 22) Boddi V, Corona G, Monami M, Fisher AD, Bandini E, Melani C, Balzi D, Sforza A, Patussi V, Forti G, Mannucci E, Maggi M. Priapus is Happier with Venus than with Bacchus. J Sex Med 7: 2831-2841, 2010.
- 23) Bandini E, Fisher AD, Corona G, Ricca V, Monami M, Boddi V, Balzi D, Melani C, Forti G, Mannucci E, Maggi M. Severe depressive symptoms and cardiovascular risk in subjects with erectile dysfunction. J Sex Med 7: 3477-3486, 2010.
- 24) Forti G, Corona G, Vignozzi L, Krausz C, Maggi M. Klinefelter's syndrome: a clinical and therapeutical update. Sex Dev 4: 249-258, 2010.
- 25) Castellini G, Mannucci E, Mazzei C, Lo Sauro C, Faravelli C, Rotella CM, Maggi M, Ricca V. Sexual function in obese women with and without binge eating disorder. J Sex Med 7: 3969-3978, 2010.
- Vignozzi L, Morelli A, Filippi S, Maggi M, Forti G. Male pubertal development: role of androgen therapy on bone mass and body composition. J Endocrinol Invest 33: 27-32, 2010.
- 27) Corona G, Petrone L, Paggi F, Lotti F, Boddi V, Fisher A, Vignozzi L, Balercia G, Sforza A, Forti G, Mannucci E, Maggi M. Sexual dysfunction in subjects with Klinefelter's syndrome. Int J Androl. 2010 Aug 1;33(4):574-80.
- 28) Gacci M, Corona G, Apolone G, Lanciotti M, Tosi N, Giancane S, Masieri L, Serni S, Maggi M, Carini M. Influence of serum testosterone on urinary continence and sexual activity in patients undergoing radical prostatectomy for clinically localized prostate cancer. Prostate Cancer Prostatic Dis. 2010 Jun;13(2):168-72. Erratum in: Prostate Cancer Prostatic Dis. 2010 Jun;13(2):202. Apolone, A [corrected to Apolone, G].
- 29) Corona G, Monami M, Rastrelli G, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Is Metabolic Syndrome a Useless Category in Subjects with High Cardiovascular Risk? Results from a Cohort Study in Men with Erectile Dysfunction. J Sex Med. 8: 504-11, 2011.
- 30) Corona G, Boddi V, Gacci M, Sforza A, Forti G, Mannucci E, Maggi M. Perceived Ejaculate Volume Reduction in Subjects with Erectile Dysfunction: Psycho-Biological Correlates. J Androl 32: 333-339, 2011.
- 31) Morelli A, Vignozzi L, Maggi M, Adorini L. Farnesoid X receptor activation improves erectile dysfunction in models of metabolic syndrome and diabetes. Biochim Biophys Acta. 1812: 859-866, 2011.

- 32) Corona G, Monami M, Rastrelli G, Aversa A, Sforza A, Lenzi A, Forti G, Mannucci E, Maggi M. Type 2 diabetes mellitus and testosterone: a meta-analysis study. Int J Androl 34: 528-540, 2011.
- 33) Lotti F, Corona G, Mancini M, Filimberti E, Degli Innocenti S, Colpi GM, Baldi E, Noci I, Forti G, Adorini L, Maggi M. Ultrasonographic and clinical correlates of seminal plasma interleukin-8 levels in patients attending an andrology clinic for infertility. Int J Androl 34: 600-613, 2011. Rastrelli G, Corona G, Paggi F, Balercia G, Forti G, Maggi M. Subjective perception of ejaculate volume reflects objective changes in ejaculate volume. J Androl 32: 341-342, 2011.
- 34) Corona G, Monami M, Boddi V, Rastrelli G, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Pulse pressure independently predicts major cardiovascular events in younger but not in older subjects with erectile dysfunction. J Sex Med 8: 247-254, 2011.
- 35) Corona G, Monami M, Rastrelli G, Aversa A, Tishova Y, Saad F, Lenzi A, Forti G, Mannucci E, Maggi M. Testosterone and metabolic syndrome: a meta-analysis study. J Sex Med 8: 272-283, 2011.
- 36) Corona G, Rastrelli G, Boddi V, Monami M, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Prolactin levels independently predict major cardiovascular events in patients with erectile dysfunction. Int J Androl 34: 217-224, 2011.
- 37) Vignozzi L, Morelli A, Filippi S, Comeglio P, Chavalmane AK, Marchetta M, Toce M, Yehiely-Cohen R, Vannelli GB, Adorini L, Maggi M. Farnesoid X receptor activation improves erectile function in animal models of metabolic syndrome and diabetes. J Sex Med 8: 57-77, 2011.
- 38) Marchiani S, Tamburrino L, Giuliano L, Nosi D, Sarli V, Gandini L, Piomboni P, Belmonte G, Forti G, Baldi E, Muratori M. Sumo1-ylation of human spermatozoa and its relationship with semen quality. Int J Androl. 2011 Dec;34(6 Pt 1):581-93.
- 39) Luconi M, Cantini G, Baldi E, Forti G. Role of a-kinase anchoring proteins (AKAPs) in reproduction. Front Biosci (Landmark Ed). 2011 Jan 1;16:1315-30.
- 40) Muratori M, Marchiani S, Tamburrino L, Forti G, Luconi M, Baldi E. Markers of human sperm functions in the ICSI era. Front Biosci (Landmark Ed). 2011 Jan 1;16:1344-63.
- 41) Muratori M, Forti G, Baldi E. M540 bodies interfere with TUNEL analyses in human semen samples. Hum Reprod. 2011 Mar;26(3):729;
- 42) Corona G, Baldi E, Maggi M. Androgen regulation of prostate cancer: where are we now? J Endocrinol Invest. 34: 232-243, 2011.
- 43) Corona G, Jannini EA, Lotti F, Boddi V, De Vita G, Forti G, Lenzi A, Mannucci E, Maggi M. Premature and delayed ejaculation: two ends of a single continuum influenced by hormonal milieu. Int J Androl. 34: 41-48, 2011.
- 44) Corona G, Rastrelli G, Vignozzi L, Mannucci E, Maggi M. Testosterone, cardiovascular disease and the metabolic syndrome. Best Pract Res Clin Endocrinol Metab. 25: 337-353, 2011.
- 45) Corona G, Rastrelli G, Balercia G, Sforza A, Forti G, Mannucci E, Maggi M. Perceived reduced sleep-related erections in subjects with erectile dysfunction: psychobiological correlates. J Sex Med. 8: 1780-1788, 2011.
- 46) Maggi M, Corona G. Love protects lover's life. J Sex Med. 8: 931-935, 2011.
- 47) Corona G, Rastrelli G, Monami M, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Body mass index regulates hypogonadism-associated CV risk: results from a cohort of subjects with erectile dysfunction. J Sex Med. 8: 2098-2105, 2011.
- 48) Corona G, Rastrelli G, Forti G, Maggi M. Update in testosterone therapy for men. J Sex Med. 8: 639-654, 2011.
- 49) Corona G, Rastrelli G, Morelli A, Vignozzi L, Mannucci E, Maggi M. Hypogonadism and metabolic syndrome. J Endocrinol Invest. 34: 557-567, 2011.

- 50) Lotti F, Corona G, Colpi GM, Filimberti E, Degli Innocenti S, Mancini M, Baldi E, Noci I, Forti G, Adorini L, Maggi M. Elevated body mass index correlates with higher seminal plasma interleukin 8 levels and ultrasonographic abnormalities of the prostate in men attending an andrology clinic for infertility. J Endocrinol Invest. 34: e336-342, 2011.
- 51) Morelli A, Sarchielli E, Comeglio P, Filippi S, Mancina R, Gacci M, Vignozzi L, Carini M, Vannelli GB, Maggi M. Phosphodiesterase type 5 expression in human and rat lower urinary tract tissues and the effect of tadalafil on prostate gland oxygenation in spontaneously hypertensive rats. J Sex Med. 8: 2746-2760, 2011.
- 52) Bandini E, Fisher AD, Ricca V, Ristori J, Meriggiola MC, Jannini EA, Manieri C, Corona G, Monami M, Fanni E, Galleni A, Forti G, Mannucci E, Maggi M. Childhood maltreatment in subjects with male-to-female gender identity disorder. Int J Impot Res. 23: 276-285, 2011.
- 53) Corona G, Rastrelli G, Monami M, Guay A, Buvat J, Sforza A, Forti G, Mannucci E, Maggi M. Hypogonadism as a risk factor for cardiovascular mortality in men: a meta-analytic study. Eur J Endocrinol. 165: 687-701, 2011.
- 54) Rastrelli G, Corona G, Monami M, Melani C, Balzi D, Sforza A, Forti G, Mannucci E, Maggi M. Poor response to alprostadil ICI test is associated with arteriogenic erectile dysfunction and higher risk of major adverse cardiovascular events. J Sex Med. 8: 3433-3445, 2011.
- 55) Lo Giacco D, Ars E, Bassas L, Galan JJ, Rajmil O, Ruíz P, Caffaratti J, Guarducci E, Ruiz-Castané E, Krausz C. ESR1 promoter polymorphism is not associated with nonsyndromic cryptorchidism. FERTIL STERIL 2011 Jan; 95: 369-71, 371.e1-2
- 56) Ars E, Lo Giacco D, Bassas L, Nuti F, Rajmil O, Ruíz P, Garat JM, Ruiz-Castané E, Krausz C. Further insights into the role of T222P variant of RXFP2 in non-syndromic cryptorchidism in two Mediterranean populations. INT J ANDROL 2011 Aug; 34: 333-8
- 57) Krausz C. Male infertility: pathogenesis and clinical diagnosis. BEST PRACT RES CLIN ENDOCRINOL METAB 2011 Apr; 25: 271-85
- 58) Krausz C, Chianese C, Giachini C, Guarducci E, Laface I, Forti G. The Y chromosomelinked copy number variations and male fertility. J ENDOCRINOL INVEST 2011 May; 34: 376-82
- 59) Corona G, Rastrelli G, Balercia G, Sforza A, Forti G, Maggi M. Testosterone and cardiovascular risk in patients with erectile dysfunction. J Endocrinol Invest. 35: 809-812, 2012.
- 60) Fisher AD, Bandini E, Corona G, Monami M, Cameron Smith M, Melani C, Balzi D, Forti G, Mannucci E, Maggi M. Stable extramarital affairs are breaking the heart. Int J Androl. 35: 11-17, 2012.
- 61) Vignozzi L, Morelli A, Sarchielli E, Comeglio P, Filippi S, Cellai I, Maneschi E, Serni S, Gacci M, Carini M, Piccinni MP, Saad F, Adorini L, Vannelli GB, Maggi M. Testosterone protects from metabolic syndrome-associated prostate inflammation: an experimental study in rabbit. J Endocrinol. 212: 71-84, 2012.
- 62) Corona G, Gacci M, Baldi E, Mancina R, Forti G, Maggi M. Androgen Deprivation Therapy in Prostate Cancer: Focusing on Sexual Side Effects. J Sex Med. 9: 887-902, 2012.
- 63) Corona G, Rastrelli G, Vignozzi L, Mannucci E, Maggi M. How to recognize late-onset hypogonadism in men with sexual dysfunction. Asian J Androl. 14: 251-259, 2012.
- 64) Lotti F, Corona G, Colpi GM, Filimberti E, Innocenti SD, Mancini M, Baldi E, Noci I, Forti G, Maggi M. Seminal vesicles ultrasound features in a cohort of infertility patients. Hum Reprod. 27: 974-982, 2012
- 65) Gacci M, Corona G, Salvi M, Vignozzi L, McVary KT, Kaplan SA, Roehrborn CG, Serni S, Mirone V, Carini M, Maggi M. A Systematic Review and Meta-analysis on the Use of

- Phosphodiesterase 5 Inhibitors Alone or in Combination with α -Blockers for Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia. Eur Urol. 61: 994-1003, 2012.
- 66) Baldi E, Luconi M, Krausz C, Forti G. Progesterone and spermatozoa: a long-lasting liaison comes to definition. Hum Reprod. 2011 Nov;26(11):2933-4
- 67) Tamburrino L, Marchiani S, Montoya M, Elia Marino F, Natali I, Cambi M, Forti G, Baldi E, Muratori M. Mechanisms and clinical correlates of sperm DNA damage. Asian J Androl. 2012 Jan;14(1):24-31.
- 68) Tamburrino L, Salvianti F, Marchiani S, Pinzani P, Nesi G, Serni S, Forti G, Baldi E. Androgen receptor (AR) expression in prostate cancer and progression of the tumor: Lessons from cell lines, animal models and human specimens. Steroids. 2012 Aug;77(10):996-1001.
- 69) Meamar M, Zribi N, Cambi M, Tamburrino L, Marchiani S, Filimberti E, Fino MG, Biggeri A, Menezo Y, Forti G, Baldi E, Muratori M. Sperm DNA fragmentation induced by cryopreservation: new insights and effect of a natural extract from Opuntia ficusindica. Fertil Steril. 2012 Aug;98(2):326-33.
- 70) Giagulli VA, Triggiani V, Corona G, Carbone D, Licchelli B, Tafaro E, Resta F, Sabbà C, Maggi M, Guastamacchia E. Evidence-based medicine update on testosterone replacement therapy (TRT) in male hypogonadism: focus on new formulations. Curr Pharm Des. 2011;17(15):1500-11.
- 71) Morelli A, Comeglio P, Filippi S, Sarchielli E, Cellai I, Vignozzi L, Yehiely-Cohen R, Maneschi E, Gacci M, Carini M, Adorini L, Vannelli GB, Maggi M. Testosterone and farnesoid X receptor agonist INT-747 counteract high fat diet-induced bladder alterations in a rabbit model of metabolic syndrome. J Steroid Biochem Mol Biol. 132: 80-92, 2012.
- 72) Gacci M, Vittori G, Tosi N, Siena G, Rossetti MA, Lapini A, Vignozzi L, Serni S, Maggi M, Carini M. A Randomized, Placebo-Controlled Study to Assess Safety and Efficacy of Vardenafil 10 mg and Tamsulosin 0.4 mg vs. Tamsulosin 0.4 mg Alone in the Treatment of Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia. J Sex Med. 132: 80-92, 2012.
- 73) Fisher AD, Bandini E, Rastrelli G, Corona G, Monami M, Mannucci E, Maggi M. Sexual and Cardiovascular Correlates of Male Unfaithfulness. J Sex Med.9: 1508-18, 2012.
- 74) Vignozzi L, Cellai I, Santi R, Lombardelli L, Morelli A, Comeglio P, Filippi S, Logiodice F, Carini M, Nesi G, Gacci M, Piccinni MP, Adorini L, Maggi M. Anti-inflammatory effect of androgen receptor activation in human benign prostatic hyperplasia cells. J Endocrinol. 214: 31-43, 2012.
- 75) Corona G, Ricca V, Bandini E, Rastrelli G, Casale H, Jannini EA, Sforza A, Forti G, Mannucci E, Maggi M. SIEDY Scale 3, a New Instrument to Detect Psychological Component in Subjects with Erectile Dysfunction. J Sex Med. 9:2017-2026, 2012.
- 76) Corona G, Rastrelli G, Vignozzi L, Maggi M. Emerging medication for the treatment of male hypogonadism. Expert Opin Emerg Drugs. 17: 239-259, 2012.
- 77) Corona G, Rastrelli G, Balercia G, Lotti F, Sforza A, Monami M, Forti G, Mannucci E, Maggi M. Hormonal Association and Sexual Dysfunction in Patients with Impaired Fasting Glucose: A Cross-Sectional and Longitudinal Study. J Sex Med. 9:1669-1680, 2012.
- Gacci M, Corona G, Monami M, Serni S, Mirone V, Carini M, Maggi M. Reply to Jin-Qiu Yuan, Zu-Yao Yang, and Chen Mao's Letter to the Editor re: Mauro Gacci, Giovanni Corona, Matteo Salvi, et al. A Systematic Review and Meta-Analysis on the Use of Phosphodiesterase 5 Inhibitors Alone or in Combination with α-Blockers for Lower Urinary Tract Symptoms Due to Benign Prostatic Hyperplasia. Eur Urol 2012;61:994-1003: Meta-analysis on the Use of PDE5 Inhibitors for Lower Urinary Tract Symptoms

- Due to Benign Prostatic Hyperplasia, According to the Recommendations of the Cochrane. Eur Urol. 62:e36-8, 2012.
- 79) Corona G, Rastrelli G, Maseroli E, Balercia G, Sforza A, Forti G, Mannucci E, Maggi M. Inhibitors of 5α-reductase-related side effects in patients seeking medical care for sexual dysfunction. J Endocrinol Invest. 35: 915-920, 2012.
- 80) Corona G, Wu FC, Forti G, Lee DM, O'Connor DB, O'Neill TW, Pendleton N, Bartfai G, Boonen S, Casanueva FF, Finn JD, Giwercman A, Han TS, Huhtaniemi IT, Kula K, Lean ME, Punab M, Vanderschueren D, Jannini EA, Mannucci E, Maggi M; the EMAS Study Group. Thyroid hormones and male sexual function. Int J Androl. 35: 668-679, 2012.
- 81) Corona G, Jannini EA, Vignozzi L, Rastrelli G, Maggi M. The hormonal control of ejaculation. Nat Rev Urol. 9:508-19, 2012.
- 82) Fisher AD, Rastrelli G, Bandini E, Corona G, Balzi D, Melani C, Monami M, Matta V, Mannucci E, Maggi M. Metabolic and Cardiovascular Outcomes of Fatherhood: Results from a Cohort of Study in Subjects with Sexual Dysfunction. J Sex Med. 9: 2785-94, 2012.
- 83) Lotti F, Corona G, Rastrelli G, Forti G, Jannini EA, Maggi M. Clinical Correlates of Erectile Dysfunction and Premature Ejaculation in Men with Couple Infertility. J Sex Med. 9: 2698-707, 2012.
- 84) Lotti F, Tamburrino L, Marchiani S, Muratori M, Corona G, Fino MG, Degl'innocenti S, Forti G, Maggi M, Baldi E. Semen apoptotic M540 body levels correlate with testis abnormalities: a study in a cohort of infertile subjects. Hum Reprod. 27: 3393-402, 2012.
- 85) Rastrelli G, Corona G, Fisher AD, Silverii A, Mannucci E, Maggi M. Two Unconventional Risk Factors for Major Adverse Cardiovascular Events in Subjects with Sexual Dysfunction: Low Education and Reported Partner's Hypoactive Sexual Desire in Comparison with Conventional Risk Factors. J Sex Med. 9: 3227-38, 2012.
- 86) Boddi V, Corona G, Fisher AD, Mannucci E, Ricca V, Sforza A, Forti G, Maggi M. "It Takes Two to Tango": The Relational Domain in a Cohort of Subjects with Erectile Dysfunction (ED). J Sex Med. 9: 3126-36, 2012.
- 87) Maneschi E, Morelli A, Filippi S, Cellai I, Comeglio P, Mazznti B, Mello T, Calcagno A, Sarchielli E, Vignozzi L, Saad F, Vettor R, Vannelli GB, Maggi M. Testosterone treatment improves metabolic syndrome-induced adipose tissue derangements. J Endocrinol. 215: 347-362, 2012.
- 88) Vignozzi L, Filippi S, Morelli A, Comeglio P, Cellai I, Sarchielli E, Maneschi E, Mancina R, Gacci M, Vannelli GB, Maggi M. Testosterone/Estradiol Ratio Regulates NO-Induced Bladder Relaxation and Responsiveness to PDE5 Inhibitors. J Sex Med. 9: 3028-40, 2012.
- 89) Vignozzi L, Morelli A, Corona G, Sebastianelli A, Serni S, Gacci M, Adorini L, Maggi M. Testosterone protects the lower urinary tract from metabolic syndrome-induced alterations. Horm Mol Biol Clin Investig. 11: 329-37, 2012.
- 90) Krausz C. An encore for the repeats: new insights into an old genetic variant. J CLIN ENDOCR METAB 2012 Mar; 97: 764-7
- 91) McLachlan RI, Krausz C. Clinical evaluation of the infertile male: new options, new challenges .ASIAN J ANDROL 2012 Jan; 14: 3-5
- 92) Jungwirth A, Giwercman A, Tournaye H, Diemer T, Kopa Z, Dohle G, Krausz C. European Association of Urology guidelines on Male Infertility: the 2012 update. EUR UROL 2012 Aug; 62: 324-32
- 93) Dohle GR, Diemer T, Kopa Z, Krausz C, Giwercman A, Jungwirth A. European Association of Urology guidelines on vasectomy. EUR UROL 2012 Jan; 61: 159-63

- 94) Krausz C, Giachini C, Lo Giacco D, Daguin F, Chianese C, Ars E, Ruiz-Castane E, Forti G, Rossi E. High resolution X chromosome-specific array-CGH detects new CNVs in infertile males. PLOS ONE 2012; 7: e44887
- 95) Krausz C, Sandoval J, Sayols S, Chianese C, Giachini C, Heyn H, Esteller M. Novel insights into DNA methylation features in spermatozoa: stability and peculiarities. PLOS ONE 2012; 7: e44479
- 96) Castellini G, Lelli L, Lo Sauro C, Fioravanti G, Vignozzi L, Maggi M, Faravelli C, Ricca V. Anorectic and bulimic patients suffer from relevant sexual dysfunctions. J Sex Med. 2012 Oct;9(10):2590-9.
- 97) Gacci M, Corona G, Salvi M, Vignozzi L, McVary KT, Kaplan SA, Roehrborn CG, Serni S, Mirone V, Carini M, Maggi M. A systematic review and meta-analysis on the use of phosphodiesterase 5 inhibitors alone or in combination with α -blockers for lower urinary tract symptoms due to benign prostatic hyperplasia. Eur Urol. 2012 May;61(5):994-100
- 98) Giagulli VA, Triggiani V, Corona G, Carbone MD, Tafaro E, Licchelli B, Resta F, Sabbà C, Maggi M, Guastamacchia E. Effectiveness of gonadotropin administration for spermatogenesis induction in hypogonadotropic hypogonadism: a possible role of androgen receptor CAG repeat polymorphism and therapeutic measures. Endocr Metab Immune Disord Drug Targets. 2012 Sep;12(3):236-42
- 99) Maggi M, Buvat J. Standard Operating Procedures: Pubertas Tarda/Delayed Puberty-Male. J Sex Med. 10: 285-93, 2013.
- 100) Rastrelli G, Corona G, Bandini E, Strada C, Maseroli E, Ricca V, Faravelli C, Mannucci E, Maggi M. Investigation on psychological symptoms improves ANDROTEST accuracy in predicting hypogonadism in subjects with sexual dysfunction. Int J Impot Res. 25: 34-9, 2013.
- 101) Morelli A, Comeglio P, Filippi S, Sarchielli E, Vignozzi L, Maneschi E, Cellai I, Gacci M, Lenzi A, Vannelli GB, Maggi M. Mechanism of action of phosphodiesterase type 5 inhibition in metabolic syndrome-associated prostate alterations: An experimental study in the rabbit. Prostate. 73: 428-41, 2013.
- 102) Gacci M, Vignozzi L, Sebastianelli A, Salvi M, Giannessi C, De Nunzio C, Tubaro A, Corona G, Rastrelli G, Santi R, Nesi G, Serni S, Carini M, Maggi M.Metabolic syndrome and lower urinary tract symptoms: the role of inflammation. Prostate Cancer Prostatic Dis. 16: 101-6, 2013.
- 103) Filimberti E, Degl'Innocenti S, Borsotti M, Quercioli M, Piomboni P, Natali I, Fino MG, Caglieresi C, Criscuoli L, Gandini L, Biggeri A, Maggi M, Baldi E. High variability in results of semen analysis in andrology laboratories in Tuscany (Italy): the experience of an external quality control (EQC) programme. Andrology. 2013 May;1(3):401-7.
- 104) Cambi M, Tamburrino L, Marchiani S, Olivito B, Azzari C, Forti G, Baldi E, Muratori M. Development of a specific method to evaluate 8-hydroxy, 2-deoxyguanosine in sperm nuclei: relationship with semen quality in a cohort of 94 subjects. Reproduction. 2013 Mar 1;145(3):227-35.
- 105) Muratori M, Forti G, Baldi E. Presence of M540 bodies in human semen: techniques to detect them require attention. Fertil Steril. 2013 Sep;100(3):e13.
- 106) Kurpisz M, Fraczek M, Baldi E. Towards understanding infertility: inflammatory mediators in male reproductive tract. J Reprod Immunol. 2013 Nov;100(1):1.
- 107) Lotti F, Corona G, Degli Innocenti S, Filimberti E, Scognamiglio V, Vignozzi L, Forti G, Maggi M. Seminal, ultrasound and psychobiological parameters correlate with metabolic syndrome in male members of infertile couples. Andrology. 1: 229-39, 2013.
- 108) Fisher AD, Bandini E, Casale H, Ferruccio N, Meriggiola MC, Gualerzi A, Manieri C, Jannini E, Mannucci E, Monami M, Stomaci N, Delle Rose A, Susini T, Ricca V, Maggi M.

- Sociodemographic and Clinical Features of Gender Identity Disorder: An Italian Multicentric Evaluation. J Sex Med. 10: 408-19, 2013.
- 109) Corona G, Maggi M. Conventional and unconventional cardiovascular risk factors in men with erectile dysfunction. J Sex Med. 10: 305-8, 2013.
- 110) Corona G, Maggi M. Words of wisdom: re: testosterone replacement therapy in the setting of prostate cancer treated with radiation. Eur Urol. 63: 583, 2013.
- 111) Filimberti E, Degl'innocenti S, Borsotti M, Quercioli M, Piomboni P, Natali I, Fino MG, Caglieresi C, Criscuoli L, Gandini L, Biggeri A, Maggi M, Baldi E. High variability in results of semen analysis in Andrology Laboratories in Tuscany (Italy): the experience of an external quality control (EQC) programme. Andrology. 1: 401-7, 2013.
- 112) Corona G, Rastrelli G, Ricca V, Jannini EA, Vignozzi L, Monami M, Sforza A, Forti G, Mannucci E, Maggi M. Risk Factors Associated with Primary and Secondary Reduced Libido in Male Patients with Sexual Dysfunction. J Sex Med. 10:1074-89, 2013.
- 113) Corona G, Rastrelli G, Silverii A, Monami M, Sforza A, Forti G, Mannucci E, Maggi M. The Identification of Prediabetes Condition with ARIC Algorithm Predicts Long-Term CV Events in Patients with Erectile Dysfunction. J Sex Med. 10:1114-23, 2013.
- 114) Bandini E, Fisher AD, Castellini G, Lo Sauro C, Lelli L, Meriggiola MC, Casale H, Benni L, Ferruccio N, Faravelli C, Dettore D, Maggi M, Ricca V. Gender Identity Disorder and Eating Disorders: Similarities and Differences in Terms of Body Uneasiness. J Sex Med. 10: 1012-23, 2013.
- 115) Rastrelli G, Boddi V, Corona G, Mannucci E, Maggi M. Impaired Masturbation-Induced Erections: A New Cardiovascular Risk Factor for Male Subjects with Sexual Dysfunction. J Sex Med. 10: 1100-13, 2013.
- 116) Corona G, Rastrelli G, Monami M, Saad F, Luconi M, Lucchese M, Facchiano E, Sforza A, Forti G, Mannucci E, Maggi M. Body weight loss reverts obesity-associated hypogonadotropic hypogonadism: a systematic review and meta-analysis. Eur J Endocrinol. 168: 829-43, 2013.
- 117) Lotti F, Maggi M. Interleukin 8 and the male genital tract. J Reprod Immunol. 100: 54-65, 2013.
- 118) Vignozzi L, Gacci M, Cellai I, Santi R, Corona G, Morelli A, Rastrelli G, Comeglio P, Sebastanelli A, Maneschi E, Nesi G, De Nunzio C, Tubaro A, Mannucci E, Carini M, Maggi M. Fat boosts, while androgen receptor activation counteracts, BPH-associated prostate inflammation. Prostate. 73: 789-800, 2013.
- 119) Corona G, Rastrelli G, Maseroli E, Forti G, Maggi M. Sexual function of the ageing male. Best Pract Res Clin Endocrinol Metab. 27: 581-601, 2013.
- 120) Corona G, Rastrelli G, Maggi M. Diagnosis and treatment of late-onset hypogonadism: Systematic review and meta-analysis of TRT outcomes. Best Pract Res Clin Endocrinol Metab. 27: 557-79, 2013.
- 121) Corona G, Maggi M. Patients with testosterone deficiency syndrome and type 2 diabetes. Arch Esp Urol. 66: 711-722, 2013.
- 122) Corona G, Vignozzi L, Sforza A, Maggi M. Risks and benefits of late onset hypogonadism treatment: an expert opinion. World J Mens Health. 31: 103-25, 2013.
- 123) Degl'innocenti S, Filimberti E, Magini A, Krausz C, Lombardi G, Fino MG, Rastrelli G, Maggi M, Baldi E. Semen cryopreservation for men banking for oligospermia, cancers, and other pathologies: prediction of post-thaw outcome using basal semen quality. Fertil Steril. 100: 1555-63, 2013.
- 124) Lotti F, Corona G, Maseroli E, Rossi M, Silverii A, Degl'innocenti S, Rastrelli G, Forti G, Maggi M. Clinical implications of measuring prolactin levels in males of infertile couples. Andrology;1: 764-71, 2013.

- 125) Rastrelli G, Corona G, Vignozzi L, Maseroli E, Silverii A, Monami M, Mannucci E, Forti G, Maggi M. Serum PSA as a Predictor of Testosterone Deficiency. J Sex Med. 10; 2518-28, 2013.
- 126) Rastrelli G, Corona G, Lotti F, Boddi V, Mannucci E, Maggi M. Relationship of Testis Size and LH Levels with Incidence of Major Adverse Cardiovascular Events in Older Men with Sexual Dysfunction. J Sex Med. 10:2518-28, 2013.
- 127) Corona G, Rastrelli G, Giagulli VA, Sila A, Sforza A, Forti G, Mannucci E, Maggi M. Dehydroepiandrosterone supplementation in elderly men: a meta-analysis study of placebo-controlled trials. J Clin Endocrinol Metab. 98: 3615-26, 2013.
- 128) Lucchese M, Maggi M. Hypogonadism as a New Comorbidity in Male Patient's Selection for Bariatric Surgery: Towards an Extended Concept of Metabolic Surgery? Obes Surg. 23: 2018-19, 2013
- 129) Vignozzi L, Gacci M, Cellai I, Morelli A, Maneschi E, Comeglio P, Santi R, Filippi S, Sebastianelli A, Nesi G, Serni S, Carini M, Maggi M. PDE5 inhibitors blunt inflammation in human BPH: A potential mechanism of action for PDE5 inhibitors in LUTS. Prostate. 73: 1391-402, 2013
- 130) Maneschi E, Vignozzi L, Morelli A, Mello T, Filippi S, Cellai I, Comeglio P, Sarchielli E, Calcagno A, Mazzanti B, Vettor R, Vannelli GB, Adorini L, Maggi M. FXR activation normalizes insulin sensitivity in visceral preadipocytes of a rabbit model of MetS. J Endocrinol. 218: 215-31, 2013.
- 131) Corona G, Rastrelli G, Monami M, Maseroli E, Jannini EA, Balercia G, Sforza A, Forti G, Mannucci E, Maggi M. Frequency of sexual activity and cardiovascular risk in subjects with erectile dysfunction: cross-sectional and longitudinal analyses. Andrology. 1: 864-71, 2013.
- 132) Morelli A, Comeglio P, Sarchielli E, Cellai I, Vignozzi L, Vannelli GB, Maggi M. Negative effects of high glucose exposure in human gonadotropin-releasing hormone neurons. Int J Endocrinol. 2013:684659, 2013.
- 133) Chianese C, Lo Giacco D, Tüttelmann F, Ferlin A, Ntostis P, Vinci S, Balercia G, Ars E, Ruiz-Castañé E, Giglio S, Forti G, Kliesch S, Krausz C. Y-chromosome microdeletions are not associated with SHOX haploinsufficiency. HUM REPROD 2013 Nov; 28: 3155-60
- 134) Sermondade N, Faure C, Fezeu L, Shayeb AG, Bonde JP, Jensen TK, Van Wely M, Cao J, Martini AC, Eskandar M, Chavarro JE, Koloszar S, Twigt JM, Ramlau-Hansen CH, Borges E Jr, Lotti F, Steegers-Theunissen RP, Zorn B, Polotsky AJ, La Vignera S, Eskenazi B, Tremellen K, Magnusdottir EV, Fejes I, Hercberg S, Lévy R, Czernichow S. BMI in relation to sperm count: an updated systematic review and collaborative meta-analysis. Hum Reprod Update. 2013 May-Jun;19(3):221-31.
- 135) La Vignera S, Condorelli RA, Vicari E, Lotti F, Favilla V, Morgia G, Maggi M, Calogero AE. Seminal vesicles and diabetic neuropathy: ultrasound evaluation after prolonged treatment with a selective phosphodiesterase-5 inhibitor. Andrology. 2013 Mar;1(2):245-50.
- 136) Corona G, Giorda CB, Cucinotta D, Guida P, Nada E; SUBITO-DE study group.. The SUBITO-DE study: sexual dysfunction in newly diagnosed type 2 diabetes male patients. J Endocrinol Invest. 2013 Nov;36(10):864-8.
- 137) Tirabassi G, Delli Muti N, Corona G, Maggi M, Balercia G. Androgen Receptor Gene CAG Repeat Polymorphism Regulates the Metabolic Effects of Testosterone Replacement Therapy in Male Postsurgical Hypogonadotropic Hypogonadism. Int J Endocrinol. 2013;2013:816740.
- 138) Gacci M, Salvi M, Sebastianelli A, Vignozzi L, Corona G, McVary KT, Kaplan SA, Maggi M, Carini M, Oelke M. The use of a single daily dose of tadalafil to treat signs and symptoms of benign prostatic hyperplasia and erectile dysfunction. Res Rep Urol. 2013 Apr 6;5:99-111.

- 139) Gacci M, Tosi N, Vittori G, Minervini A, Corona G, Cai T, Morelli AM, Vignozzi L, Serni S, Maggi M, Carini M. Changes in sex hormone levels after radical prostatectomy: Results of a longitudinal cohort study. Oncol Lett. 2013 Aug;6(2):529-533.
- 140) Isidori AM, Buvat J, Corona G, Goldstein I, Jannini EA, Lenzi A, Porst H, Salonia A, Traish AM, Maggi M. A critical analysis of the role of testosterone in erectile function: from pathophysiology to treatment-a systematic review. Eur Urol. 2014 Jan;65(1):99-112.
- 141) Gacci M, Sebastianelli A, Salvi M, Vignozzi L, Corona G, McVary KT, Kaplan SA, Oelke M, Maggi M, Carini M. PDE5-Is for the Treatment of Concomitant ED and LUTS/BPH. Curr Bladder Dysfunct Rep. 2013 Jun;8(2):150-159.
- 142) Tirabassi G, Gioia A, Giovannini L, Boscaro M, Corona G, Carpi A, Maggi M, Balercia G. Testosterone and cardiovascular risk. Intern Emerg Med. 2013 Apr;8 Suppl 1:S65-9.
- 143) Gacci M, Vignozzi L, Sebastianelli A, Salvi M, Giannessi C, De Nunzio C, Tubaro A, Corona G, Rastrelli G, Santi R, Nesi G, Serni S, Carini M, Maggi M. Metabolic syndrome and lower urinary tract symptoms: the role of inflammation. Prostate Cancer Prostatic Dis. 2013 Mar;16(1):101-6.
- 144) Castellini G, Lo Sauro C, Lelli L, Godini L, Vignozzi L, Rellini AH, Faravelli C, Maggi M, Ricca V. Childhood sexual abuse moderates the relationship between sexual functioning and eating disorder psychopathology in anorexia nervosa and bulimia nervosa: a 1-year follow-up study. J Sex Med. 2013 Sep;10(9):2190-200.
- 145) Lucchese M, Maggi M. Hypogonadism as a new comorbidity in male patient's selection for bariatric surgery: towards an extended concept of metabolic surgery? Obes Surg. 2013 Dec;23(12):2018-9. doi: 10.1007/s11695-013-1000-5.
- 146) Luconi M, Samavat J, Seghieri G, Iannuzzi G, Lucchese M, Rotella C, Forti G, Maggi M, Mannucci E. Determinants of testosterone recovery after bariatric surgery: is it only a matter of reduction of body mass index? Fertil Steril. 2013 Jun;99(7):1872-9.e1.
- 147) Facchiano E, Scaringi S, Veltri M, Samavat J, Maggi M, Forti G, Luconi M, Lucchese M. Age as a predictive factor of testosterone improvement in male patients after bariatric surgery: preliminary results of a monocentric prospective study. Obes Surg. 2013 Feb;23(2):167-72.
- 148) Perigli G, Qirici E, Badii B, Kokomani A, Staderini F, Luconi M, Crescioli C, Mannelli M, Maggi M, Cianchi F. Feasibility and safety of minimal-incision thyroidectomy for Graves' disease: a prospective, single-center study. Head Neck. 2013 Sep;35(9):1345-8
- 149) Fisher AD, Castellini G, Bandini E, Casale H, Fanni E, Benni L, Ferruccio N, Meriggiola MC, Manieri C, Gualerzi A, Jannini E, Oppo A, Ricca V, Maggi M, Rellini AH. Cross-Sex Hormonal Treatment and Body Uneasiness in Individuals with Gender Dysphoria. J Sex Med. 11:709-16, 2014.
- 150) Comeglio P, Morelli A, Cellai I, Vignozzi L, Sarchielli E, Filippi S, Maneschi E, Corcetto F, Corno C, Gacci M, Vannelli GB, Maggi M. Opposite effects of tamoxifen on metabolic syndrome-induced bladder and prostate alterations: a role for GPR30/GPER? Prostate. 74:10-28, 2014.
- 151) Morelli A, Sarchielli E, Comeglio P, Filippi S, Vignozzi L, Marini M, Rastrelli G, Maneschi E, Cellai I, Persani L, Adorini L, Vannelli GB, Maggi M. Metabolic syndrome induces inflammation and impairs gonadotropin-releasing hormone neurons in the preoptic area of the hypothalamus in rabbits. Mol Cell Endocrinol. 382:107-19, 2014.
- 152) Lotti F, Corona G, Mondaini N, Maseroli E, Rossi M, Filimberti E, Noci I, Forti G, Maggi M. Seminal, clinical and colour-Doppler ultrasound correlations of prostatitis-like symptoms in males of infertile couples. Andrology. 2:30-41, 2014.
- 153) Corona G, Wu FC, Rastrelli G, Lee DM, Forti G, O'Connor DB, O'Neill TW, Pendleton N, Bartfai G, Boonen S, Casanueva FF, Finn JD, Huhtaniemi IT, Kula K, Punab M, Vanderschueren D, Rutter MK, Maggi M; EMAS Study Group. Low Prolactin Is

- Associated with Sexual Dysfunction and Psychological or Metabolic Disturbances in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). J Sex Med. 11:240-53, 2014.
- 154) Rastrelli G, Corona G, Lotti F, Aversa A, Bartolini M, Mancini M, Mannucci E, Maggi M. Flaccid Penile Acceleration as a Marker of Cardiovascular Risk in Men without Classical Risk Factors. J Sex Med. 11:173-86, 2014.
- 155) Tamburrino L, Marchiani S, Minetti F, Forti G, Muratori M, Baldi E. The CatSper calcium channel in human sperm: relation with motility and involvement in progesterone-induced acrosome reaction. Hum Reprod. 2014 Mar;29(3):418-28
- 156) Marchiani S, Tamburrino L, Olivito B, Betti L, Azzari C, Forti G, Baldi E, Muratori M. Characterization and sorting of flow cytometric populations in human semen. Andrology. 2014 May;2(3):394-401.
- 157) Lotti F, Corona G, Vignozzi L, Rossi M, Maseroli E, Cipriani S, Gacci M, Forti G, Maggi M. Metabolic syndrome and prostate abnormalities in male subjects of infertile couples. Asian J Androl. 16:295-304, 2014.
- 158) Vignozzi L, Rastrelli G, Corona G, Gacci M, Forti G, Maggi M. Benign prostatic hyperplasia: a new metabolic disease? J Endocrinol Invest. 37:313-322, 2014.
- 159) Gacci M, Baldi E, Tamburrino L, Detti B, Livi L, De Nunzio C, Tubaro A, Gravas S, Carini M, Serni S. Quality of Life and Sexual Health in the Aging of PCa Survivors. Int J Endocrinol. 2014;2014:470592.
- 160) Boddi V, Fisher AD, Maseroli E, Rastrelli G, Corona G, Jannini E, Ricca V, Mannucci E, Maggi M. Lack of sexual privacy affects psychological and marital domains of male sexual dysfunction. J Sex Med. 11:431-8, 2014.
- 161) Vignozzi L, Filippi S, Comeglio P, Cellai I, Sarchielli E, Morelli A, Rastrelli G, Maneschi E, Galli A, Vannelli GB, Saad F, Mannucci E, Adorini L, Maggi M. Nonalcoholic steatohepatitis as a novel player in metabolic syndrome-induced erectile dysfunction: An experimental study in the rabbit. Mol Cell Endocrinol. 384: 143-154, 2014.
- 162) Marchiani S, Tamburrino L, Ricci B, Nosi D, Cambi M, Piomboni P, Belmonte G, Forti G, Muratori M, Baldi E. SUMO1 in human sperm: new targets, role in motility and morphology and relationship with DNA damage. Reproduction. 2014 Nov;148(5):453-67.
- 163) Samavat J, Natali I, Degl'Innocenti S, Filimberti E, Cantini G, Di Franco A, Danza G, Seghieri G, Lucchese M, Baldi E, Forti G, Luconi M. Acrosome reaction is impaired in spermatozoa of obese men: a preliminary study. Fertil Steril. 2014 Nov;102(5):1274-1281 e2
- 164) Maseroli E, Rastrelli G, Corona G, Boddi V, Amato AM, Mannucci E, Forti G, Maggi M. Gynecomastia in subjects with sexual dysfunction. J Endocrinol Invest. 37:525-532, 2014.
- 165) Vignozzi L, Filippi S, Comeglio P, Cellai I, Morelli A, Maneschi E, Sarchielli E, Gacci M, Carini M, Vannelli GB, Maggi M. Tadalafil Effect on Metabolic Syndrome-Associated Bladder Alterations: An Experimental Study in a Rabbit Model. J Sex Med. 11:1159-1172, 2014.
- 166) Gacci M, Corona G, Vignozzi L, Salvi M, Serni S, De Nunzio C, Tubaro A, Oelke M, Carini M, Maggi M. Metabolic Syndrome and Benign Prostatic Enlargement: A Systematic Review and Meta-Analysis. BJU Int. 115:24-31, 2015.
- 167) Corona G, Rastrelli G, Filippi S, Vignozzi L, Mannucci E, Maggi M. Erectile dysfunction and central obesity: an Italian perspective. Asian J Androl. 16:581-91, 2014.
- 168) Corona G, Isidori AM, Buvat J, Aversa A, Rastrelli G, Hackett G, Rochira V, Sforza A, Lenzi A, Mannucci E, Maggi M. Testosterone Supplementation and Sexual Function: A Meta-Analysis Study. J Sex Med. 11:1577-92, 2014.

- 169) Corona G, Vignozzi L, Rastrelli G, Lotti F, Cipriani S, Maggi M. Benign Prostatic Hyperplasia: A New Metabolic Disease of the Aging Male and Its Correlation with Sexual Dysfunctions. Int J Endocrinol. 2014:329456, 2014.
- 170) Fisher AD, Ristori J, Bandini E, Giordano S, Mosconi M, Jannini EA, Greggio NA, Godano A, Manieri C, Meriggiola C, Ricca V; Italian GnRH analogs study ONIG group, Dettore D, Maggi M. Medical treatment in gender dysphoric adolescents endorsed by SIAMS-SIE-SIEDP-ONIG. J Endocrinol Invest. 37:675-87, 2014.
- 171) Vignozzi L, Filippi S, Comeglio P, Cellai I, Morelli A, Rastrelli G, Maneschi E, Mannucci E, Maggi M. Metformin In Vitro and In Vivo Increases Adenosine Signaling in Rabbit Corpora Cavernosa. J Sex Med. 11:1694-708, 2014.
- 172) Corona G, Gacci M, Maseroli E, Rastrelli G, Vignozzi L, Sforza A, Forti G, Mannucci E, Maggi M. Clinical correlates of enlarged prostate size in subjects with sexual dysfunction. Asian J Androl. 16:767-773, 2014.
- 173) Rastrelli G, Corona G, Mannucci E, Maggi M. Factors affecting spermatogenesis upon gonadotropin-replacement therapy: a meta-analytic study. Andrology 2:794-808, 2014
- 174) Vignozzi L, Filippi S, Comeglio P, Cellai I, Morelli A, Marchetta M, Maggi M. Estrogen Mediates Metabolic Syndrome-Induced Erectile Dysfunction: A Study in the Rabbit. J Sex Med. 11:2890-902, 2014.
- 175) Corona G, Maseroli E, Rastrelli G, Sforza A, Forti G, Mannucci E, Maggi M. Characteristics of compensated hypogonadism in patients with sexual dysfunction. J Sex Med. 11:1823-34, 2014.
- 176) Corona G, Maseroli E, Maggi M. Injectable testosterone undecanoate for the treatment of hypogonadism. Expert Opin Pharmacother. 15:1903-26, 2014.
- 177) Corona G, Rastrelli G, Maseroli E, Fralassi N, Sforza A, Forti G, Mannucci E, Maggi M. Low testosterone syndrome protects subjects with high cardiovascular risk burden from major adverse cardiovascular events. Andrology 2:741-7, 2014.
- 178) Corona G, Maseroli E, Rastrelli G, Isidori AM, Sforza A, Mannucci E, Maggi M. Cardiovascular risk associated with testosterone-boosting medications: a systematic review and meta-analysis. Expert Opin Drug Saf., 13:1327-51, 2014.
- 179) Krausz CG, Carrell DT. Advances in understanding the genetics underlying male infertility and evolving diagnostic and treatment options. ANDROLOGY 2014 May; 2: 302-3
- 180) Lo Giacco D, Chianese C, Sánchez-Curbelo J, Bassas L, Ruiz P, Rajmil O, Sarquella J, Vives A, Ruiz-Castañé E, Oliva R, Ars E, Krausz C Clinical relevance of Y-linked CNV screening in male infertility: new insights based on the 8-year experience of a diagnostic genetic laboratory. EUR J HUM GENET 2014 Jun; 22: 754-61
- 181) Krausz C, Hoefsloot L, Simoni M, Tüttelmann F EAA/EMQN best practice guidelines for molecular diagnosis of Y-chromosomal microdeletions: state-of-the-art 2013. ANDROLOGY 2014 Jan; 2: 5-19
- 182) Krausz C, Chianese C Genetic testing and counselling for male infertility. CURR OPIN ENDOCRINOL 2014 Jun; 21: 244-50
- 183) Chianese C, Brilli S, Krausz C. Genomic changes in spermatozoa of the aging male. ADV EXP MED BIOL 2014; 791: 13-26
- 184) Libri DV, Kleinau G, Vezzoli V, Busnelli M, Guizzardi F, Sinisi AA, Pincelli AI, Mancini A, Russo G, Beck-Peccoz P, Loche S, Crivellaro C, Maghnie M, Krausz C, Persani L, Bonomi M, Italian Study Group on Idiopathic Central Hypogonadism (ICH)Germline prokineticin receptor 2 (PROKR2) variants associated with central hypogonadism cause differental modulation of distinct intracellular pathways. J CLIN ENDOCR METAB 2014 Mar; 99: E458-63

- 185) Lo Giacco D, Chianese C, Ars E, Ruiz-Castañé E, Forti G, Krausz C Recurrent X chromosome-linked deletions: discovery of new genetic factors in male infertility. J MED GENET 2014 May; 51: 340-4
- 186) Chianese C, Gunning AC, Giachini C, Daguin F, Balercia G, Ars E, Lo Giacco D, Ruiz-Castañé E, Forti G, Krausz C. X chromosome-linked CNVs in male infertility: discovery of overall duplication load and recurrent, patient-specific gains with potential clinical relevance. PLOS ONE 2014; 9: e97746
- 187) Valoriani V, Lotti F, Vanni C, Noci MC, Fontanarosa N, Ferrari G, Cozzi C, Noci I. Hatha-Yoga as a psychological adjuvant for women undergoing IVF: a pilot study. Eur J Obstet Gynecol Reprod Biol, 2014 May;176:158-62
- 188) Ciocca G, Limoncin E, Cellerino A, Fisher AD, Gravina GL, Carosa El, Mollaioli D, Valenzano DR, Mennucci A, Bandini E, Lenzi A, Jannini EA. Gender identity, but not sexual orientation, impacts on facial preferences. J Sex Med. 2014 Oct;11(10):2500-7
- 189) Bouman WP, Richards C, Addinall RM, Arango de Montis I, Duisin D, Esteva I, Fisher AD, Harte F, Khoury B, Lu Z, Marais A, Nayarana Reddy D, Nieder TO², Robles Garcia R, Rodrigues jr OM, Roque Guerra A, Tereshkevich D, T'Sjoen G, Wilson D. Yes and yes again: are standards of care which require two referrals for genital reconstructive surgery ethical? Sexual and Relationship Therapy 2014; 29(4):377-389
- 190) Wierckx K, Van Caenegem E, Schreiner T, Haraldsen I, Fisher AD, Toye K, Kaufman JM, T'Sjoen G. Cross-sex hormone therapy in trans persons is safe and effective at short-time follow-up: results from the European Network for the Investigation of Gender Incongruence. J Sex Med. 2014 Aug;11(8):1999-2011
- 191) Vignozzi L, Maggi M. Prostate cancer: intriguing data on inflammation andprostate cancer. Nat Rev Urol. 2014 Jul;11(7):369-70.
- 192) Isidori AM, Corona G, Aversa A, Gianfrilli D, Jannini EA, Foresta C, Maggi M, Lenzi A; SIAMS-ED Study Group.. The SIAMS-ED Trial: A National, Independent, Multicentre Study on Cardiometabolic and Hormonal Impairment of Men with Erectile Dysfunction Treated with Vardenafil. Int J Endocrinol. 2014;2014:858715.
- 193) Gacci M, Carini M, Salvi M, Sebastianelli A, Vignozzi L, Corona G, Maggi M, McVary KT, Kaplan SA, Oelke M, Serni S. Management of benign prostatic hyperplasia: role of phosphodiesterase-5 inhibitors. Drugs Aging. 2014 Jun;31(6):425-39.
- 194) Gacci M, Ficarra V, Sebastianelli A, Corona G, Serni S, Shariat SF, Maggi M, Zattoni F, Carini M, Novara G. Impact of medical treatments for male lower urinary tract symptoms due to benign prostatic hyperplasia on ejaculatory function: a systematic review and meta-analysis. J Sex Med. 2014 Jun;11(6):1554-66.
- 195) Tirabassi G, Delli Muti N, Corona G, Maggi M, Balercia G. Androgen receptor gene CAG repeat polymorphism independently influences recovery of male sexual function after testosterone replacement therapy in postsurgical hypogonadotropic hypogonadism. J Sex Med. 2014 May;11(5):1302-8.
- 196) Corona G, Giorda CB, Cucinotta D, Guida P, Nada E; Gruppo di studio SUBITO-DE.. Sexual dysfunction at the onset of type 2 diabetes: the interplay of depression, hormonal and cardiovascular factors. J Sex Med. 2014 Aug;11(8):2065-73.
- 197) Gallina P, Paganini M, Biggeri A, Marini M, Romoli A, Sarchielli E, Berti V, Ghelli E, Guido C, Lombardini L, Mazzanti B, Simonelli P, Peri A, Maggi M, Porfirio B, Di Lorenzo N, Vannelli GB. Human striatum remodelling after neurotransplantation in Huntington's disease. Stereotact Funct Neurosurg. 2014;92(4):211-7
- 198) Boddi V, Barbaro V, McNieven P, Maggi M, Rotella CM. Present and future association between obesity and hypogonadism in Italian males. Arch Ital Urol Androl. 2014 Mar 28;86(1):26-32.

- 199) Marchiani S, Vignozzi L, Filippi S, Gurrieri B, Comeglio P, Morelli A, Danza G, Bartolucci G, Maggi M, Baldi E. Metabolic syndrome-associated sperm alterations in an experimental rabbit model: Relation with metabolic profile, testis and epididymis gene expression and effect of tamoxifen treatment. Mol Cell Endocrinol. 401:12-24, 2015.
- 200) Muratori M, Tamburrino L, Marchiani S, Cambi M, Olivito B, Azzari C, Forti G, Baldi E. Investigation on the Origin of Sperm DNA Fragmentation: Role of Apoptosis, Immaturity and Oxidative Stress. Mol Med. 2015 Jan 30;21:109-22.
- 201) Corona G, Rastrelli G, Maggi M. The pharmacotherapy of male hypogonadism besides androgens. Expert Opin Pharmacother. 2015 Feb;16(3):369-87.
- 202) Corona G, Maggi M. Testosterone supplementation and cardiovascular risk. Trends Cardiovasc Med. 2015 Apr;25(3):258-60
- 203) Lotti F, Corona G, Vitale P, Maseroli E, Rossi M, Fino MG, Maggi M.Current smoking is associated with lower seminal vesicles and ejaculate volume, despite higher testosterone levels, in male subjects of infertile couples. Hum Reprod. 2015 Mar;30(3):590-602.
- 204) Maseroli E, Corona G, Rastrelli G, Lotti F, Cipriani S, Forti G, Mannucci E, Maggi M. Prevalence of endocrine and metabolic disorders in subjects with erectile dysfunction: a comparative study. J Sex Med. 2015 Apr;12(4):956-65.
- 205) Lotti F, Rochira V, Pivonello R, Santi D, Galdiero M, Maseroli E, Balestrieri A, Faustini-Fustini M, Peri A, Sforza A, Colao A, Maggi M, Corona G.Erectile Dysfunction is Common among Men with Acromegaly and is Associated with Morbidities Related to the Disease. J Sex Med. 2015 May;12(5):1184-93.
- 206) Corona G, Vignozzi L, Sforza A, Mannucci E, Maggi M. Obesity and late-onset hypogonadism. Mol Cell Endocrinol. 2015 Dec 15;418 Pt 2:120-33.
- 207) Muratori M, Marchiani S, Tamburrino L, Cambi M, Lotti F, Natali I, Filimberti E, Noci I, Forti G, Maggi M, Baldi E. DNA fragmentation in brighter sperm predicts male fertility independently from age and semen parameters. Fertil Steril. 2015 Sep;104(3):582-90.e4.
- 208) Corona G, Maggi M. Perspective: Regulatory Agencies' Changes to Testosterone Product Labeling. J Sex Med. 2015 Aug;12(8):1690-3.
- 209) Boddi V, Castellini G, Casale H, Rastrelli G, Boni L, Corona G, Maggi M. An integrated approach with vardenafil orodispersible tablet and cognitive behavioral sex therapy for treatment of erectile dysfunction: a randomized controlled pilot study. Andrology. 2015 Sep;3(5):909-18. doi: 10.1111/andr.12079.
- 210) Maseroli E, Fanni E, Fambrini M, Ragghianti B, Limoncin E, Mannucci E, Maggi M, Vignozzi L. Bringing the body of the iceberg to the surface: the Female Sexual Dysfunction Index-6 (FSDI-6) in the screening of female sexual dysfunction. J Endocrinol Invest. 2015 Sep 3. [Epub ahead of print]
- 211) Tamburrino L, Cambi M, Marchiani S, Manigrasso I, Degl'Innocenti S, Forti G, Maggi M, Baldi E, Muratori M. Sperm DNA fragmentation in cryopreserved samples from subjects with different cancers. Reprod Fertil Dev. 2015 Oct 14. doi: 10.1071/RD15190. [Epub ahead of print]
- 212) Corona G, Giagulli VA, Maseroli E, Vignozzi L, Aversa A, Zitzmann M, Saad F, Mannucci E, Maggi M. THERAPY OF ENDOCRINE DISEASE: Testosterone supplementation and body composition: results from a meta-analysis study. Eur J Endocrinol. 2015 Nov 4. pii: EJE-15-0262. [Epub ahead of print]
- 213) Rastrelli G, Carter EL, Ahern T, Finn JD, Antonio L, O'Neill TW, Bartfai G, Casanueva FF, Forti G, Keevil B, Maggi M, Giwercman A, Han TS, Huhtaniemi IT, Kula K, Lean ME, Pendleton N, Punab M, Vanderschueren D, Wu FC; EMAS Study Group. Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. J Clin Endocrinol Metab. 2015 Aug;100(8):3172-82.

- 214) Rastrelli G, Corona G, Maggi M. The role of prolactin in andrology: what is new? Rev Endocr Metab Disord. 2015 Sep;16(3):233-48. doi: 10.1007/s11154-015-9322-3.
- 215) Corona G, Rastrelli G, Limoncin E, Sforza A, Jannini EA, Maggi M.Interplay Between Premature Ejaculation and Erectile Dysfunction: A Systematic Review and Meta-Analysis. J Sex Med. 2015 Dec;12(12):2291-300. doi: 10.1111/jsm.13041. Epub 2015 Nov 9.
- 216) Boddi V, Fanni E, Castellini G, Fisher AD, Corona G, Maggi M. Conflicts Within the Family and Within the Couple as Contextual Factors in the Determinism of Male Sexual Dysfunction. J Sex Med. 2015 Dec;12(12):2425-35. doi: 10.1111/jsm.13042. Epub 2015 Nov 26.
- 217) Corona G, Maggi M. Response and Rebuttal to Editorial Comment on: "The Interplay between Premature Ejaculation and Erectile Dysfunction: A Systematic Review and Meta-Analysis". J Sex Med. 2015 Dec;12(12):2302. doi: 10.1111/jsm.13055. Epub 2015 Nov 27. No abstract available.
- 218) Fisher AD, Castellini G, Casale H, Fanni E, Bandini E, Campone B, Ferruccio N, Maseroli E, Boddi V, Dèttore D, Pizzocaro A, Balercia G, Oppo A, Ricca V, Maggi M. Hypersexuality, Paraphilic Behaviors, and Gender Dysphoria in Individuals with Klinefelter's Syndrome. J Sex Med. 2015 Dec;12(12):2413-24. doi: 10.1111/jsm.13048. Epub 2015 Nov 27.
- 219) Tamburrino L, Marchiani S, Vicini E, Muciaccia B, Cambi M, Pellegrini S, FortiG, Muratori M, Baldi E. Quantification of CatSper1 expression in human spermatozoa and relation to functional parameters. Hum Reprod. 2015 Jul;30(7):1532-44.
- 220) Rastrelli G, Corona G, Mannucci E, Maggi M.Vascular and Chronological Age in Subjects with Erectile Dysfunction: A Cross-Sectional Study. J Sex Med. 2015 Dec;12(12):2303-12...
- 221) Corona G , Rastrelli G, Maseroli E, Sforza A, Maggi M.Testosterone Replacement Therapy and Cardiovascular Risk: A Review. World J Mens Health. 2015 Dec;33(3):130-42.
- 222) Chianese C, Fino MG, Riera Escamilla A, López Rodrigo O, Vinci S, Guarducci E, Daguin F, Muratori M, Tamburrino L, Lo Giacco D, Ars E, Bassas L, Costa M, Pisatauro V, Noci I, Coccia E, Provenzano A, Ruiz-Castañé E, Giglio S, Piomboni P, Krausz C. Comprehensive investigation in patients affected by sperm macrocephaly and globozoospermia. ANDROLOGY 2015 Mar; 3: 203-12
- 223) Krausz C, Escamilla AR, Chianese C. Genetics of male infertility: from research to clinic. REPRODUCTION 2015 Nov; 150: R159-74
- 224) Lotti F, Maggi M. Ultrasound of the male genital tract in relation to male reproductive health. Hum Reprod Update. 2015 Jan-Feb;21(1):56-83.
- 225) Ciocca G, Tuziak B, Limoncin E, Mollaioli D, Capuano N, Martini A, Carosa E, Fisher AD, Maggi M, Niolu C, Siracusano A, Lenzi A, Jannini EA. Psychoticism, Immature Defense Mechanisms and a Fearful Attachment Style are Associated with a Higher Homophobic Attitude. J Sex Med. 2015 Sep;12(9):1953-60
- 226) Dèttore D, Ristori J, Antonelli P, Bandini E, Fisher AD, Villani S, de Vries A, Steensma T, Cohen-Kettenis P. Gender dysphoria in adolescents: the need for a shared assessment protocol and the proposal of the AGIR protocol. Journal of Psychopathology 2015, 21:152-158. ISSN: 2284-0249
- 227) Vlachopoulos C, Oelke M, Maggi M, Mulhall JP, Rosenberg MT, Brock GB, Esler A, Büttner H. Impact of cardiovascular risk factors and related comorbid conditions and medical therapy reported at baseline on the treatment response to tadalafil 5 mg oncedaily in men with lower urinary tract symptoms associated with benign prostatic hyperplasia: an integrated nalysis of four randomised, double-blind, placebo-controlled, clinical trials. Int J Clin Pract. 2015 Dec;69(12):1496-507.

- 228) Dean JD, McMahon CG, Guay AT, Morgentaler A, Althof SE, Becher EF, BivalacquaTJ, Burnett AL, Buvat J, El Meliegy A, Hellstrom WJ, Jannini EA, Maggi M,McCullough A, Torres LO, Zitzmann M. The International Society for Sexual Medicine's Process of Care for the Assessment and Management of Testosterone Deficiency in Adult Men. J Sex Med. 2015 Aug;12(8):1660-86.
- 229) Simoni M, Santi D, Negri L, Hoffmann I, Muratori M, Baldi E, Cambi M, Marcou M, Greither T, Baraldi E, Tagliavini S, Carra D, Lombardo F, Gandini L, Pallotti F, Krausz C, Rastrelli G, Ferlin A, Menegazzo M, Pignatti E, Linari F, Marino M, Benaglia R, Levi-Setti PE, Behre HM. Treatment with human, recombinant FSH improves sperm DNA fragmentation in idiopathic infertile men depending on the FSHreceptor polymorphism p.N680S: a pharmacogenetic study. Hum Reprod. 2016 Sep;31(9):1960-9.
- 230) Muratori M, Tarozzi N, Cambi M, Boni L, Iorio AL, Passaro C, Luppino B, Nadalini M, Marchiani S, Tamburrino L, Forti G, Maggi M, Baldi E, Borini A. Variation of DNA Fragmentation Levels During Density Gradient Sperm Selection for Assisted Reproduction Techniques: A Possible New Male Predictive Parameter of Pregnancy? Medicine (Baltimore). 2016 May;95(20):e3624.
- 231) Lotti F, Tamburrino L, Marchiani S, Maseroli E, Vitale P, Forti G, Muratori M, Maggi M, Baldi E. DNA fragmentation in two cytometric sperm populations: relationship with clinical and ultrasound characteristics of the male genital tract. Asian J Androl. 2016 Feb 26.
- 232) Lotti F, Maseroli E, Fralassi N, Degl'Innocenti S, Boni L, Baldi E, Maggi M.Is thyroid hormones evaluation of clinical value in the work-up of males of infertile couples? Hum Reprod. 2016 Mar;31(3):518-29.
- 233) Carozzi F, Tamburrino L, Bisanzi S, Marchiani S, Paglierani M, Di Lollo S, Crocetti E, Buzzoni C, Burroni E, Greco L, Baldi E, Sani C. Are biomarkers evaluated in biopsy specimens predictive of prostate cancer aggressiveness? J Cancer Res Clin Oncol. 2016 Jan;142(1):201-12
- 234) Muratori M, Marchiani S, Tamburrino L, Cambi M, Lotti F, Natali I, Filimberti E, Noci I, Forti G, Maggi M, Baldi E. DNA fragmentation in brighter sperm predicts male fertility independently from age and semen parameters. Fertil Steril. 2015 Sep;104(3):582-90.e4.
- 235) Antonio L, Wu FC, O'Neill TW, Pye SR, Carter EL, Finn JD, Rutter MK, Laurent MR, Huhtaniemi IT, Han TS, Lean ME, Keevil BG, Pendleton N, Rastrelli G, Forti G, Bartfai G, Casanueva FF, Kula K, Punab M, Giwercman A, Claessens F, Decallonne B, Vanderschueren D; EMAS Study Group. Associations between sex steroids and the development of metabolic syndrome: a longitudinal study in European men. J Clin Endocrinol Metab. 2015 Apr;100(4):1396-404. doi: 10.1210/jc.2014-4184.
- 236) Tirabassi G, Corona G, Biagioli A, Buldreghini E, delli Muti N, Maggi M, Balercia G. Influence of androgen receptor CAG polymorphism on sexual function recovery after testosterone therapy in late-onset hypogonadism. J Sex Med. 2015 Feb;12(2):381-8.
- 237) Isidori AM, Balercia G, Calogero AE, Corona G, Ferlin A, Francavilla S, Santi D, Maggi M. Outcomes of androgen replacement therapy in adult male hypogonadism: recommendations from the Italian society of endocrinology. J Endocrinol Invest. 2015 Jan;38(1):103-12.
- 238) Maneschi E, Cellai I, Aversa A, Mello T, Filippi S, Comeglio P, Bani D, Guasti D, Sarchielli E, Salvatore G, Morelli A, Mazzanti B, Corcetto F, Corno C, Francomano D, Galli A, Vannelli GB, Lenzi A, Mannucci E, Maggi M, Vignozzi L. Tadalafil reduces visceral adipose tissue accumulation by promoting preadipocytes differentiation towards a metabolically healthy phenotype: Studies in rabbits. Mol Cell Endocrinol. 2016 Mar 15;424:50-70. doi: 10.1016/j.mce.2016.01.015. PubMed PMID: 26805634.

- 239) Sarchielli E, Comeglio P, Squecco R, Ballerini L, Mello T, Guarnieri G, Idrizaj E, Mazzanti B, Vignozzi L, Gallina P, Maggi M, Vannelli GB, Morelli A. Tumor Necrosis Factor α Impairs Kisspeptin Signaling in Human Gonadotropin-Releasing Hormone Primary Neurons. J Clin Endocrinol Metab. 2016 Oct 13:jc20162115. [Epub ahead of print]
- 240) Comeglio P, Cellai I, Filippi S, Corno C, Corcetto F, Morelli A, Maneschi E, Maseroli E, Mannucci E, Fambrini M, Maggi M, Vignozzi L. Differential Effects of Testosterone and Estradiol on Clitoral Function: An Experimental Study in Rats. J Sex Med. 2016 Dec;13(12):1858-1871.
- 241) Vaszkó T, Papp J, Krausz C, Casamonti E, Géczi L, Olah E. Discrimination of Deletion and Duplication Subtypes of the Deleted in Azoospermia Gene Family in the Context of Frequent Interloci Gene Conversion. PLoS One. 2016 Oct 10;11(10):e0163936.
- 242) Tournaye H, Krausz C, Oates RD. Concepts in diagnosis and therapy for male reproductive impairment. LANCET DIABETES ENDO 2016 Jul;
- 243) Tournaye H, Krausz C, Oates RD.Novel concepts in the aetiology of male reproductive impairment. LANCET DIABETES ENDO 2016 Jul;
- 244) Lotti F, Corona G, Castellini G, Maseroli E, Fino MG, Cozzolino M, Maggi M. Semen quality impairment is associated with sexual dysfunction according to its severity. Hum Reprod. 2016 Dec;31(12):2668-2680.
- 245) Limoncin E, Lotti F, Rossi M, Maseroli E, Gravina GL, Ciocca G, Mollaioli D, Di Sante S, Maggi M, Lenzi A, Jannini EA. The impact of premature ejaculation on the subjective perception of orgasmic intensity: validation and standardization of the 'Orgasmometer'. Andrology. 2016 Sep;4(5):921-6.
- 246) Valoriani V, Lotti F, Lari D, Miccinesi G, Vaiani S, Vanni C, Coccia ME, Maggi M, Noci I. Differences in psychophysical well-being and signs of depression in couples undergoing their first consultation for assisted reproduction technology (ART): an Italian pilot study. Eur J Obstet Gynecol Reprod Biol. 2016;197:179-85.
- 247) Fisher AD, Castellini G, Ristori J, Casale E, Cassioli E, Sensi C, Fanni E, Amato ML, Bettini E, Dèttore D, Ricca V, Maggi M. Who has the worst attitudes toward sexual minorities? Comparison of transphobia and homophobia levels in gender dysphoric individuals, the general population and health care providers. JOURNAL OF ENDOCRINOLOGICAL INVESTIGATION, ISSN: 1720-8386, doi: 10.1007/s40618-016-0552-3
- 248) Ciocca G, Niolu C, Déttore D, Antonelli P, Conte S, Tuziak B, Limoncin E, Mollaioli D, Carosa E, Gravina Gl, Di Sante S, Di Lorenzo G, Fisher Ad, Maggi M, Lenzi A, Siracusano A, Jannini Ea7. Cross-cultural and socio-demographic correlates of homophobic attitude among university students in three European countries.. JOURNAL OF ENDOCRINOLOGICAL INVESTIGATION, vol. ..., ISSN: 0391-4097, doi: 10.1007/s40618-016-0554-1 in press
- 249) Fisher AD, Castellini G, Ristori J, Casale E, Cassioli E, Sensi C, Fanni E, Amato ML, Bettini E, Dèttore D, Ricca V, Maggi M. Cross-sex hormone treatment and psychobiological changes in transsexual persons:2-yr follow-up data. THE JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM, ISSN: 1945-7197, doi: 10.1210/jc.2016-1276
- 250) Fisher AD, Ristori J, Fanni E, Castellini G, Forti G, Maggi M. Gender identity, gender assignment and reassignment in individuals with disorders of sex development: a major dilemma. JOURNAL OF ENDOCRINOLOGICAL INVESTIGATION, ISSN: 1720-8386, doi: 10.1007/s40618-016-0482-0
- 251) Dekker MJ, Wierckx K, Van Caenegem E, Klaver M, Kreukels BP, Elaut E, Fisher AD, van Trotsenburg MA, Schreiner T, den Heijer M, T'Sjoen G. A European Network for the Investigation of Gender Incongruence: Endocrine Part. J Sex Med. 2016 Jun;13(6):994-9. doi: 10.1016/j.jsxm.2016.03.371. Epub 2016 May 6
- 252) McCabe M, Sharlip IR, Atalla E, Balon R, Fisher AD, Laumann E, Lee SE, Lewis R, Segraves R. Definitions of Sexual Dysfunctions in Women and Men:A Consensus

- Statement from the Fourth International Consultation on Sexual Medicine 2015. J Sex Med. 2016 Feb;13(2):135-43. doi: 10.1016/j.jsxm.2015.12.019.
- 253) McCabe M, Sharlip IR, Atalla E, Balon R, Fisher AD, Laumann E, Lee SE, Lewis R, Segraves R. Incidence and Prevalence of Sexual Dysfunction in Women and Men:A Consensus Statement from the Fourth International Consultation on Sexual Medicine 2015 J Sex Med. 2016 Feb;13(2):144-52.
- 254) McCabe M, Sharlip IR, Atalla E, Balon R, Fisher AD, Laumann E, Lee SE, Lewis R, Segraves R. Risk Factors for Sexual Dysfunction among Women and Men: A Consensus Statement from the Fourth International Consultation on Sexual Medicine 2015. J Sex Med. 2016 Feb;13(2):153-67.
- 255) Prunas A, Bandini E, Fisher AD, Maggi M, Pace V, Quagliarella L, Todarello O, Bini M. Experiences of violence, harassment and discrimination in a sample of Italian transsexuals who underwent sex reassignment surgery. J Interpers Violence. 2016 Jan 12. pii: 0886260515624233
- 256) Corona G, Rastrelli G, Burri A, Jannini E, Maggi M. The safety and efficacy of Avanafil, a new 2nd generation PDE5i: comprehensive review and meta-analysis. Expert Opin Drug Saf. 2016 Feb;15(2):237-47
- 257) Rastrelli G, Vignozzi L, Maggi M. Different Medications for Hypogonadotropic Hypogonadism. Endocr Dev. 2016;30:60-78.
- 258) Rastrelli G, Corona G, Tarocchi M, Mannucci E, Maggi M. How to define hypogonadism? Results from a population of men consulting for sexual dysfunction. J Endocrinol Invest. 2016 Apr;39(4):473-84.
- 259) Corona G, Maseroli E, Rastrelli G, Francomano D, Aversa A, Hackett G, Ferri S, Sforza A, Maggi M. Is late-onset hypogonadotropic hypogonadism a specific age-dependent disease, or merely an epiphenomenon caused by accumulating disease-burden? Focusing on metabolic diseases. Minerva Endocrinol. 2016 Feb 17. [Epub ahead of print]
- 260) Rastrelli G, Corona G, Mannucci E, Maggi M. Vascular and Chronological Age in Men With Erectile Dysfunction: A Longitudinal Study. J Sex Med. 2016 Feb;13(2):200-8.
- 261) Rastrelli G, Corona G, Maggi M. Response and Rebuttal to Editorial Comment on "Vascular and Chronological Age in Men With Erectile Dysfunction: A Longitudinal Study". J Sex Med. 2016 Feb;13(2):211-2.
- 262) Antonio L, Wu FC, O'Neill TW, Pye SR, Ahern TB, Laurent MR, Huhtaniemi IT, Lean ME, Keevil BG, Rastrelli G, Forti G, Bartfai G, Casanueva FF, Kula K, Punab M, Giwercman A, Claessens F, Decallonne B, Vanderschueren D; EMAS Study Groupdagger. Low Free Testosterone is Associated with Hypogonadal Signs and Symptoms in Men with Normal Total Testosterone. J Clin Endocrinol Metab. 2016 Feb 24:jc20154106. [Epub ahead of print]
- 263) Rastrelli G, Giovannini L, Calogero AE, Gianfrilli D, Serra E, Pizzocaro A, Giagulli VA, Motta G, Vancieri G, Sperandio A, Andò S, Selice R, Luca G, Cocchiara F, Canale D, Maggi M. Predictors and clinical consequences of starting androgen therapy in men with low testosterone: results from the SIAMO-NOI registry. J Endocrinol Invest. 2016 Apr 1.
- 264) Castellini G, Wu FC, Finn JD, O'Neill TW, Lean ME, Pendleton N, Rastrelli G, Rutter MK, Gacci M, Ricca V, Maggi M; EMAS Study Group. Interactions Between Depression and Lower Urinary Tract Symptoms: The Role of Adverse Life Events and Inflammatory Mechanisms. Results From the European Male Ageing Study. Psychosom Med. 2016 Apr 7.
- 265) Overman MJ, Pendleton N, O'Neill TW, Bartfai G, Casanueva FF, Finn JD, Forti G, Rastrelli G, Giwercman A, Han TS, Huhtaniemi IT, Kula K, Lean ME, Punab M, Lee DM, Correa ES, Ahern T, Verschueren SM, Antonio L, Gielen E, Rutter MK, Vanderschueren D, Wu FC, Tournoy J; EMAS Study Group. Evaluation of cognitive subdomains, 25-

- hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. Eur J Nutr. 2016 Jul 1. [Epub ahead of print]
- 266) Ahern T, Swiecicka A, Eendebak RJ, Carter EL, Finn JD, Pye SR, O'Neill TW, Antonio L, Keevil B, Bartfai G, Casanueva FF, Forti G, Giwercman A, Han TS, Kula K, Lean ME, Pendleton N, Punab M, Rastrelli G, Rutter MK, Vanderschueren D, Huhtaniemi IT, Wu FC; EMAS study group. Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. Clin Endocrinol (Oxf). 2016 Jul 4. doi: 10.1111/cen.13152. [Epub ahead of print]
- 267) Vannucci L, Parenti G, Simontacchi G, Rastrelli G, Giuliani C, Ognibene A, Peri A. Hypothyroidism and hyponatremia: data from a series of patients with iatrogenic acute hypothyroidism undergoing radioactive iodine therapy after total thyroidectomy for thyroid cancer. J Endocrinol Invest. 2016 Aug 9. [Epub ahead of print]
- 268) Corona G, Cipriani S, Rastrelli G, Sforza A, Mannucci E, Maggi M. High Triglycerides Predicts Arteriogenic Erectile Dysfunction and Major Adverse Cardiovascular Events in Subjects With Sexual Dysfunction. J Sex Med. 2016 Sep;13(9):1347-58
- 269) Fanni E, Castellini G, Corona G, Boddi V, Ricca V, Rastrelli G, Fisher AD, Cipriani S, Maggi M. The Role of Somatic Symptoms in Sexual Medicine: Somatization as Important Contextual Factor in Male Sexual Dysfunction. J Sex Med. 2016 Sep;13(9):1395-407
- 270) Corona G, Rastrelli G, Burri A, Serra E, Gianfrilli D, Mannucci E, Jannini EA, Maggi M. First-generation phosphodiesterase type 5 inhibitors dropout: a comprehensive review and meta-analysis. Andrology. 2016 Sep 16. doi: 10.1111/andr.12255. [Epub ahead of print]
- 271) Tirabassi G, Corona G, Lamonica GR, Lenzi A, Maggi M, Balercia G. Diabetes Mellitus-Associated Functional Hypercortisolism Impairs Sexual Function in Male Late-Onset Hypogonadism. Horm Metab Res. 2016 Jan;48(1):48-53.
- 272) Tirabassi G, Cutini M, Muscogiuri G, Delli Muti N, Corona G, Galdiero M, Pivonello R, Colao A, Balercia G. Association between vitamin D and sperm parameters: Clinical evidence. Endocrine. 2016 Dec 10.
- 273) Corona G, Giorda CB, Cucinotta D, Guida P, Nada E; SUBITO-DE Study Group. Sexual Dysfunction in Type 2 Diabetes at Diagnosis: Progression over Time and Drug and Non-Drug Correlated Factors. PLoS One. 2016 Oct 5;11(10):e0157915.
- 274) Corona G. Editorial Comment on "Erectile and Ejaculatory Function Preserved With Convective Water Vapor Energy Treatment of Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia: Randomized Controlled Study". J Sex Med. 2016 Jun;13(6):934-5.
- 275) Gacci M, Vignozzi L, Corona G, Serni S, Maggi M. Reply to Jae Heon Kim's Letter to the Editor re: Mauro Gacci, Giovanni Corona, Arcangelo Sebastianelli, et al. Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. Eur Urol 2016. In press.
- 276) Bonomi M, Rochira V, Pasquali D, Balercia G, Jannini EA, Ferlin A; Klinefelter ItaliaN Group (KING). Klinefelter syndrome (KS): genetics, clinical phenotype and hypogonadism. J Endocrinol Invest. 2016 Sep 19. [Epub ahead of print] Review.
- 277) Gacci M, Corona G, Sebastianelli A, Serni S, De Nunzio C, Maggi M, Vignozzi L, Novara G, McVary KT, Kaplan SA, Gravas S, Chapple C. Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. Eur Urol. 2016 Nov;70(5):788-796.
- 278) Corona G, Giagulli VA, Maseroli E, Vignozzi L, Aversa A, Zitzmann M, Saad F, Mannucci E, Maggi M.Testosterone supplementation and body composition: results from a meta-analysis of observational studies. J Endocrinol Invest. 2016 Sep;39(9):967-81.

- 279) Yafi FA, Jenkins L, Albersen M, Corona G, Isidori AM, Goldfarb S, Maggi M, Nelson CJ, Parish S, Salonia A, Tan R, Mulhall JP, Hellstrom WJ. Erectile dysfunction. Nat Rev Dis Primers. 2016 Feb 4;2:16003. doi: 10.1038/nrdp.2016.3.
- 280) Corona G, Giuliani C, Parenti G, Colombo GL, Sforza A, Maggi M, Forti G, Peri A. The Economic Burden of Hyponatremia: Systematic Review and Meta-Analysis. Am J Med. 2016 Aug;129(8):823-835.e4. doi: 10.1016/j.amjmed.2016.03.007.
- 281) Castellini G, Fanni E, Corona G, Maseroli E, Ricca V, Maggi M. Psychological, Relational, and Biological Correlates of Ego-Dystonic Masturbation in a Clinical Setting. J Sex Med. 2016 Sep;4(3):e156-65.
- 282) Corona G, Giuliani C, Verbalis JG, Forti G, Maggi M, Peri A. Correction: Hyponatremia Improvement Is Associated with a Reduced Risk of Mortality: Evidence from a Meta-Analysis. PLoS One. 2016 Mar 28;11(3):e0152846. doi: 10.1371/journal.pone.0152846. No abstract available.
- 283) Corona G, Isidori AM, Aversa A, Burnett AL, Maggi M. Endocrinologic Control of Men's Sexual Desire and Arousal/Erection. J Sex Med. 2016 Mar;13(3):317-37. doi: 10.1016/j.jsxm.2016.01.007.
- 284) Corona G, Bianchini S, Sforza A, Vignozzi L, Maggi M. Hypogonadism as a possible link between metabolic diseases and erectile dysfunction in aging men. Hormones (Athens). 2015 Oct-Dec;14(4):569-78.
- 285) Maseroli E, Fanni E, Cipriani S, Scavello I, Pampaloni F, Battaglia C, Fambrini M, Mannucci E, Jannini EA, Maggi M, Vignozzi L. Cardiometabolic Risk and Female Sexuality: Focus on Clitoral Vascular Resistance. J Sex Med. 2016 Nov;13(11):1651-1661
- 286) Maseroli E, Fanni E, Mannucci E, Fambrini M, Jannini EA, Maggi M, Vignozzi L. Which are the male factors associated with female sexual dysfunction (FSD)? Andrology. 2016 Sep;4(5):911-20.
- 287) Morelli A, Vignozzi L, Maggi M. Hypogonadotropic hypogonadism and metabolic syndrome: insights from the high-fat diet experimental rabbit animal model. Minerva Endocrinol. 2016 Jun;41(2):240-9.
- 288) Vignozzi L, Gacci M, Maggi M. Lower urinary tract symptoms, benign prostatichyperplasia and metabolic syndrome. Nat Rev Urol. 2016 Feb;13(2):108-19
- 289) Maggi M, Wu FC, Jones TH, Jackson G, Behre HM, Hackett G, Martin-Morales A, Balercia G, Dobs AS, Arver ST, Maggio M, Cunningham GR, Isidori AM, Quinton R, Wheaton OA, Siami FS, Rosen RC; RHYME Investigators.. Testosterone treatment is not associated with increased risk of adverse cardiovascular events: results from the Registry of Hypogonadism in Men (RHYME). Int J Clin Pract. 2016 Oct;70(10):843-852.
- 290) Eendebak RJ, Huhtaniemi IT, Pye SR, Ahern T, O'Neill TW, Bartfai G, Casanueva FF, Maggi M, Forti G, Alston RD, Giwercman A, Han TS, Kula K, Lean ME, Punab M,vPendleton N, Keevil BG, Vanderschueren D, Rutter MK, Tampubolon G, Goodacre R, Wu FC; EMAS Group.. The androgen receptor gene CAG repeat in relation to 4-year changes in androgen-sensitive endpoints in community-dwelling older European men. Eur J Endocrinol. 2016 Dec;175(6):583-593.
- 291) Maggi M, Heiselman D, Knorr J, Iyengar S, Paduch DA, Donatucci CF. Impact of Testosterone Solution 2% on Ejaculatory Dysfunction in Hypogonadal Men. J Sex Med. 2016 Aug;13(8):1220-6.
- 292) Debruyne FM, Behre HM, Roehrborn CG, Maggi M, Wu FC, Schröder FH, Jones TH, Porst H, Hackett G, Wheaton OA, Martin-Morales A, Meuleman E, Cunningham GR, Divan HA, Rosen RC; RHYME Investigators.. Testosterone treatment is not associated with increased risk of prostate cancer or worsening of lower urinary tract symptoms: prostate health outcomes in the Registry of Hypogonadism in Men. BJU Int. 2016 Jul 13

- 293) Morgentaler A, Zitzmann M, Traish AM, Fox AW, Jones TH, Maggi M, Arver S, Aversa A, Chan JC, Dobs AS, Hackett GI, Hellstrom WJ, Lim P, Lunenfeld B, Mskhalaya G, Schulman CC, Torres LO. Fundamental Concepts Regarding Testosterone Deficiency and Treatment: International Expert Consensus Resolutions. Mayo Clin Proc. 2016 Jul;91(7):881-96.
- 294) Mulhall JP, Brock GB, Glina S, Baygani S, Donatucci CF, Maggi M. Impact of Baseline Total Testosterone Level on Successful Treatment of Sexual Dysfunction in Men Taking Once-Daily Tadalafil 5 mg for Lower Urinary Tract Symptoms and Benign Prostatic Hyperplasia: An Integrated Analysis of Three Randomized Controlled Trials. J Sex Med. 2016 May;13(5):843-51.
- 295) Gacci M, Andersson KE, Chapple C, Maggi M, Mirone V, Oelke M, Porst H, Roehrborn C, Stief C, Giuliano F. Latest Evidence on the Use of Phosphodiesterase Type 5 Inhibitors for the Treatment of Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia. Eur Urol. 2016 Jul;70(1):124-33.
- 296) Brock G, Heiselman D, Maggi M, Kim SW, Rodríguez Vallejo JM, Behre HM, McGettigan J, Dowsett SA, Hayes RP, Knorr J, Ni X, Kinchen K. Effect of Testosterone Solution 2% on Testosterone Concentration, Sex Drive and Energy in Hypogonadal Men: Results of a Placebo Controlled Study. J Urol. 2016 Mar;195(3):699-705.
- 297) Dean J, Maggi M, de Boer BJ, Hellstrom W, Khera M, Kim ED, McCullough A, Wu F, Zitzmann M. Diagnosing secondary hypogonadism: important consequences for fertility and reversibility. BJU Int. 2016 Apr;117(4):552-4.

JOURNAL	IMPACT FACTOR 2015	# ARTICLE PUBLISHED
J Sex Med	2.844	84
J Endocrinol Invest	1.994	22
Andrology	2.515	17
Hum Reprod	4.621	11
Int J Androl	2.515	10
Eur Urol	14.976	10
J Clin Endocr Metab	5.531	9
Fertil Steril	4.426	8
Asian J Androl	2.644	7
PLOS One	3.057	6
Eur J Endocrinol	3.892	5
Int J Endocrinol	2.376	5

Mol Cell Endocrinol	3.859	5
J Androl	2.515	4
Best Pract Res Clin Endocrinol Metab	5.070	4
J Endocrinol	4.498	4
Nat Rev Urol	5.957	4
Prostate	3.778	4
Prostate Cancer Prostatic Dis	3.803	3
Reproduction	3.184	3
Obes Surg	3.349	3
BJU Int	4.387	3
Front Biosci (Landmark)	2.484	2
Int J Impot Res	1.396	2
Expert Opin Pharmaco	3.543	2
Expert Opin Drug Saf	2.896	2
J Reprod Immunol	3.202	2
World Mens Health	-	2
Hum Reprod Update	11.194	2
Eur J Obstet Gynecol Reprod Biol	0.808	2
Int J Clin Pract	2.226	2
Lancet Diab Endo	16.320	2
Minerva Endocrinol	1.118	2
Mol Human Repr	3.943	1
Ann NY Acad Sci	4.518	1
Sex Dev	2.164	1
Biochim Biophys Acta	5.083	1

Steroids	2.513	1
Curr Pharm Design	3.052	1
J Steroid Biochem Mol Biol	3.985	1
Expert Opin Emerg Drugs	3.058	1
Horm Mol Bio Clin Invest	0.432	1
Endocr Metab Immune Disord Drug Targets	1.987	1
Arch Esp Urol	0.307	1
Res Rep Urol	-	1
Oncol Lett	1.482	1
Curr Bladder Dysfunct	-	1
Intern Emerg Med	2.340	1
Head Neck	2.760	1
J Psychopathology	-	1
Arch Ital Urol Androl	-	1
Eur J Hum Genet	4.580	1
Curr Opin Endocrinol	3.119	1
Adv Exp Med Biol	1.953	1
J Med Genet	5.650	1
Sexual and Relational Therapy	0.714	1
Stereot Funct Neuros	1.691	1
Mol Med	3.530	1
Trends Cardiovas Med	3.075	1
Reprod Fertil Dev	2.135	1
Rev Endocr Metab Disord	5.088	1
Medicine (Baltimore)	2.133	1
J Cancer Res Clin Oncol	3.141	1

J Interpers Violence	1.579	1
Endocr Dev	-	1
Psychosom Med	3.638	1
Eur J Nutr	3.239	1
Horm Metab Res	2.029	1
Endocrine	3.279	1
Nat Rev Dis Primers	-	1
Am J Med	5.610	1
Hormones (Athens)	1.100	1
Mayo Clin Proc	5.920	1
J Urol	4.700	1